

Program LEQ Professional v. 6-2019 dla Windows

Dane do obliczeń - pora dnia:

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	840.9	704.8	2.2	68.0	
2	836.4	696.8	2.2	68.0	
3	913.6	763.2	0.8	87.1	
4	910.0	724.7	0.8	87.1	
5	873.1	743.9	0.8	87.1	
6	886.6	768.4	0.8	87.1	
7	846.0	742.9	0.8	87.1	
8	849.1	733.0	0.8	87.1	
9	862.2	701.3	0.8	87.1	
10	878.3	678.4	0.8	87.1	
11	901.7	658.6	0.8	87.1	
12	944.3	645.1	0.8	87.1	
13	994.1	634.6	0.8	87.1	
14	990.1	683.1	0.8	87.1	
15	963.6	709.6	0.8	88.9	
16	915.7	704.9	0.8	88.9	
17	887.1	720.5	0.8	88.9	
18	897.0	746.0	0.8	88.9	
19	1015.6	708.6	0.8	88.9	
20	1046.2	713.8	0.8	88.9	
21	876.7	726.8	0.8	88.9	
22	859.0	725.2	0.8	88.9	
23	909.0	771.5	0.8	88.9	
24	883.5	746.5	0.8	81.0	
25	858.0	719.5	0.8	81.0	
26	883.0	694.0	0.8	81.0	
27	884.0	719.5	0.8	81.0	
28	934.4	710.1	0.8	81.0	
29	974.0	708.0	0.8	81.0	
30	995.3	707.0	0.8	81.0	
31	1014.0	695.0	0.8	81.0	
32	1041.0	720.5	0.8	81.0	
33	1081.1	720.5	0.8	81.0	
34	1067.6	745.5	0.8	81.0	
35	1066.0	691.4	0.8	81.4	
36	1041.0	697.6	0.8	81.4	
37	1010.4	676.3	0.8	81.4	
38	966.2	639.9	0.8	81.4	
39	924.0	654.5	0.8	81.4	
40	900.1	683.6	0.8	81.4	
41	822.1	743.9	0.8	81.4	
42	1052.2	734.9	0.8	81.4	
43	914.2	655.5	0.8	79.5	
44	870.5	691.4	0.8	79.5	
45	875.2	717.9	0.8	79.5	
46	912.1	744.4	0.8	79.5	
47	935.5	699.2	0.8	79.5	

48	946.1	710.4	0.8	79.5
49	1035.3	712.7	0.8	79.5
50	1066.5	732.0	0.8	79.5
51	1075.9	715.8	0.8	79.5
52	1065.0	707.5	0.8	80.5
53	1000.8	696.5	0.8	80.5
54	998.4	652.8	0.8	80.5
55	936.0	648.2	0.8	80.5
56	864.2	742.9	0.8	80.5
57	899.1	672.2	0.8	80.5
58	893.4	672.2	0.5	68.5
59	1026.7	685.4	0.5	68.5
60	843.4	718.1	0.5	68.5
61	837.7	740.3	0.5	68.5
62	1022.9	701.8	0.5	68.5
63	983.5	633.6	0.5	68.5
64	954.2	643.2	0.5	70.3
65	894.7	702.2	0.5	70.3
66	864.2	736.1	0.5	70.3
67	887.1	706.0	0.5	70.3

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	840.2	705.8	844.5	704.4	843.7	702.5	839.3	704.0	0.0	2.2
2	836.0	697.8	840.3	696.4	839.5	694.5	835.1	696.0	0.0	2.2
3	851.2	698.3	851.6	698.8	852.9	698.0	852.5	697.3	0.0	1.0
4	850.5	697.3	851.0	697.9	852.2	696.9	851.7	696.3	0.0	1.0
5	875.9	759.4	886.4	759.4	886.4	756.2	875.9	756.2	0.0	18.3

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
1	sc.1	L wew	110.6							
		R sc	25.0							
	sc.2	L wew	110.6							
		R sc	25.0							
	sc.3	L wew	110.6							
		R sc	25.0							
	sc.4	L wew	110.6							
		R sc	25.0							
	dach	L wew	110.6							
		R d	25.0							

Nr źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odp.
2	sc.1	L wew	110.6							
		R sc	25.0							
	sc.2	L wew	110.6							
		R sc	25.0							
	sc.3	L wew	110.6							
		R sc	25.0							
	sc.4	L wew	110.6							

R sc 25.0
 dach L wew 110.6
 R d 25.0

Nr źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
3 sc.1	L wew	84.0								
	R sc	20.0								
sc.2	L wew	84.0								
	R sc	20.0								
sc.3	L wew	84.0								
	R sc	20.0								
sc.4	L wew	84.0								
	R sc	20.0								
dach	L wew	84.0								
	R d	20.0								

Nr źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
4 sc.1	L wew	84.0								
	R sc	20.0								
sc.2	L wew	84.0								
	R sc	20.0								
sc.3	L wew	84.0								
	R sc	20.0								
sc.4	L wew	84.0								
	R sc	20.0								
dach	L wew	84.0								
	R d	20.0								

Nr źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
5 sc.1	L wew	99.8								
	R sc	30.0								
sc.2	L wew	99.8								
	R sc	20.0								
sc.3	L wew	99.8								
	R sc	20.0								
sc.4	L wew	99.8								
	R sc	20.0								
dach	L wew	99.8								
	R d	20.0								

Ekranry akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	821.8	736.8	821.8	716.2	832.3	716.2	832.3	736.8	0.0	4.0
2	912.0	717.6	1006.1	712.8	1008.5	769.0	915.4	773.3	0.0	4.0
3	823.4	777.6	875.3	775.7	874.0	753.3	822.2	755.8	0.0	8.0

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr ściana 1 ściana 2 ściana 3 ściana 4 dach

1	1.0000	1.0000	0.8000	1.0000	1.0000
2	1.0000	1.0000	1.0000	0.3000	0.3000
3	1.0000	1.0000	0.8000	1.0000	1.0000

=====

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]
1		846.2	950.4	1.5
2		767.5	931.2	1.5
