

# Single CPU Systems

Last updated on the 14th of November 2022

Column

CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u><a href="#">AMD Ryzen Threadripper PRO 5995WX</a></u>	99,476	1
<u><a href="#">AMD EPYC 7773X</a></u>	90,731	2
<u><a href="#">AMD EPYC 7J13</a></u>	86,135	3
<u><a href="#">AMD EPYC 7763</a></u>	85,944	4
<u><a href="#">AMD EPYC 7713</a></u>	85,521	5
<u><a href="#">AMD EPYC 7713P</a></u>	83,439	6
<u><a href="#">AMD Ryzen Threadripper PRO 3995WX</a></u>	83,397	7
<u><a href="#">AMD Ryzen Threadripper 3990X</a></u>	81,343	8
<u><a href="#">AMD EPYC 7V13</a></u>	81,015	9
<u><a href="#">AMD EPYC 7B13</a></u>	77,460	10
<u><a href="#">AMD EPYC 7643</a></u>	76,455	11
<u><a href="#">AMD Ryzen Threadripper PRO 5975WX</a></u>	76,110	12
<u><a href="#">AMD EPYC 7662</a></u>	73,143	13
<u><a href="#">AMD EPYC 7702</a></u>	71,500	14

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD EPYC 7532</u>	55,358	33
<u>AMD EPYC 7453</u>	55,228	34
<u>AMD Ryzen Threadripper 3960X</u>	54,758	35
<u>Intel Xeon Platinum 8358 @ 2.60GHz</u>	54,416	36
<u>Intel Xeon W-3375 @ 2.50GHz</u>	53,266	37
<u>Intel Xeon Gold 6348 @ 2.60GHz</u>	52,276	38
<u>AMD Ryzen 9 7900X</u>	52,001	39
<u>Intel Xeon Platinum 8375C @ 2.90GHz</u>	51,836	40
<u>Intel Xeon Gold 6314U @ 2.30GHz</u>	51,014	41
<u>AMD EPYC 7413</u>	50,223	42
<u>AMD Ryzen Threadripper PRO 5955WX</u>	49,796	43
<u>Intel Xeon Platinum 8347C @ 2.10GHz</u>	49,386	44
<u>AMD EPYC 7502</u>	49,178	45
<u>AMD EPYC 7502P</u>	48,995	46
<u>Intel Xeon Gold 6342 @ 2.80GHz</u>	48,330	47
<u>Intel Xeon W-3345 @ 3.00GHz</u>	48,261	48
<u>AMD EPYC 7402</u>	47,743	49

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD EPYC 7313</u>	41,060	69
<u>AMD EPYC 7F52</u>	41,023	70
<u>Apple M1 Ultra 20 Core</u>	41,008	71
<u>Intel Xeon Platinum 8275CL @ 3.00GHz</u>	40,794	72
<u>AMD Ryzen Threadripper PRO 5945WX</u>	40,784	73
<u>Intel Xeon W-3275M @ 2.50GHz</u>	40,767	74
<u>AMD EPYC 7K62</u>	40,487	75
<u>AMD Ryzen Threadripper PRO 3955WX</u>	40,281	76
<u>AMD EPYC 7352</u>	39,999	77
<u>Intel Xeon W-3265M @ 2.70GHz</u>	39,618	78
<u>AMD Ryzen 9 5900X</u>	39,301	79
<u>AMD Ryzen 9 3950X</u>	39,047	80
<u>Intel Xeon W-3335 @ 3.40GHz</u>	39,040	81
<u>Intel Xeon Gold 6248R @ 3.00GHz</u>	38,604	82
<u>Intel Core i5-13600KF</u>	38,242	83
<u>Intel Core i5-13600K</u>	38,196	84
<u>ARM Neoverse-N1 80 Core 3000 MHz</u>	37,755	85

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon Platinum 8260M @ 2.30GHz</u>	33,970	105
<u>AMD EPYC 7302</u>	33,863	106
<u>Intel Xeon D-2799 @ 2.40GHz</u>	33,792	107
<u>Intel Xeon Gold 6230R @ 2.10GHz</u>	33,733	108
<u>Intel Xeon Gold 5220R @ 2.20GHz</u>	33,370	109
<u>AMD Ryzen Threadripper PRO 3945WX</u>	33,302	110
<u>Intel Xeon Platinum 8259CL @ 2.50GHz</u>	33,279	111
<u>Intel Core i9-10980XE @ 3.00GHz</u>	33,171	112
<u>AMD Ryzen 9 3900XT</u>	32,897	113
<u>Intel Xeon Gold 6278C @ 2.60GHz</u>	32,835	114
<u>AMD Ryzen 9 3900X</u>	32,756	115
<u>Intel Xeon Platinum 8168 @ 2.70GHz</u>	32,616	116
<u>AMD Ryzen Threadripper 2990WX</u>	32,367	117
<u>AMD EPYC 7302P</u>	32,346	118
<u>Intel Core i9-9980XE @ 3.00GHz</u>	32,214	119
<u>Intel Core i9-12900T</u>	31,995	120
<u>Intel Core i9-12950HX</u>	31,858	121

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon Platinum 8268 @ 2.90GHz</u>	30,103	141
<u>AMD Ryzen Threadripper 2950X</u>	29,631	142
<u>Intel Xeon Platinum 8260 @ 2.40GHz</u>	29,587	143
<u>Intel Xeon Gold 6254 @ 3.10GHz</u>	29,356	144
<u>Intel Xeon Silver 4314 @ 2.40GHz</u>	29,347	145
<u>Intel Xeon Gold 6148 @ 2.40GHz</u>	29,197	146
<u>Intel Xeon W-2191B @ 2.30GHz</u>	29,146	147
<u>Intel Xeon Gold 6248 @ 2.50GHz</u>	29,120	148
<u>Intel Core i9-12900HK</u>	29,092	149
<u>Intel Xeon Gold 6210U @ 2.50GHz</u>	28,915	150
<u>Intel Xeon Gold 6154 @ 3.00GHz</u>	28,848	151
<u>Intel Core i9-12900H</u>	28,793	152
<u>Intel Xeon W-3245M @ 3.20GHz</u>	28,675	153
<u>AMD Ryzen 5 7600X</u>	28,617	154
<u>Intel Xeon W-3245 @ 3.20GHz</u>	28,585	155
<u>Intel Xeon Gold 6253CL @ 3.10GHz</u>	28,549	156
<u>Intel Core i9-9940X @ 3.30GHz</u>	28,429	157

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon Gold 6208U @ 2.90GHz</u>	26,901	177
<u>AMD Ryzen 7 PRO 5845</u>	26,807	178
<u>Intel Core i7-12700H</u>	26,768	179
<u>AMD Ryzen 7 5700X</u>	26,692	180
<u>Intel Xeon Platinum 8175M @ 2.50GHz</u>	26,659	181
<u>Intel Xeon Gold 6230 @ 2.10GHz</u>	26,657	182
<u>Intel Core i9-10920X @ 3.50GHz</u>	26,485	183
<u>Intel Xeon Platinum 8160 @ 2.10GHz</u>	26,485	184
<u>AMD Ryzen Threadripper 2990X</u>	26,469	185
<u>AMD EPYC 7272</u>	26,446	186
<u>Intel Core i5-13400</u>	26,355	187
<u>Intel Core i9-7940X @ 3.10GHz</u>	26,340	188
<u>Intel Xeon Gold 6242 @ 2.80GHz</u>	26,288	189
<u>Intel Xeon W-3235 @ 3.30GHz</u>	26,079	190
<u>Intel Xeon W-2265 @ 3.50GHz</u>	26,005	191
<u>Intel Xeon W-3323 @ 3.50GHz</u>	25,875	192
<u>AMD Ryzen 7 5800</u>	25,827	193

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-12650H</u>	24,689	213
<u>AMD Ryzen 7 PRO 5750G</u>	24,684	214
<u>Intel Core i7-11700K @ 3.60GHz</u>	24,663	215
<u>Intel Core i7-12800H</u>	24,591	216
<u>AMD Ryzen 7 5700G</u>	24,575	217
<u>Intel Xeon Gold 6246 @ 3.30GHz</u>	24,446	218
<u>AMD Ryzen 7 5700</u>	24,283	219
<u>Intel Core i7-11700KF @ 3.60GHz</u>	24,102	220
<u>Intel Xeon W-2170B @ 2.50GHz</u>	23,997	221
<u>AMD Ryzen 9 6900HS</u>	23,974	222
<u>Intel Xeon W-1370 @ 2.90GHz</u>	23,908	223
<u>Intel Xeon W-1390 @ 2.80GHz</u>	23,902	224
<u>AMD Ryzen 7 6800H</u>	23,869	225
<u>Intel Xeon E-2388G @ 3.20GHz</u>	23,815	226
<u>Intel Xeon Gold 6122 @ 1.80GHz</u>	23,781	227
<u>AMD Ryzen 7 3800XT</u>	23,761	228
<u>Intel Xeon E5-2696 v3 @ 2.30GHz</u>	23,708	229

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD EPYC 7F32</u>	23,026	249
<u>Intel Core i9-11900KB @ 3.30GHz</u>	23,023	250
<u>Intel Core i9-11900F @ 2.50GHz</u>	23,002	251
<u>Intel Core i9-11900 @ 2.50GHz</u>	22,991	252
<u>AMD Ryzen 7 6800HS Creator Edition</u>	22,984	253
<u>AMD Ryzen 7 PRO 3700</u>	22,979	254
<u>AMD Ryzen 9 5900HX</u>	22,941	255
<u>AMD Ryzen 7 6800HS</u>	22,862	256
<u>Intel Core i9-10850K @ 3.60GHz</u>	22,855	257
<u>Intel Xeon W-1290P @ 3.70GHz</u>	22,844	258
<u>AMD Ryzen Threadripper 1920X</u>	22,816	259
<u>Intel Xeon E-2378G @ 2.80GHz</u>	22,755	260
<u>Intel Xeon Gold 6140 @ 2.30GHz</u>	22,733	261
<u>Intel Core i5-12600H</u>	22,704	262
<u>AMD Ryzen 7 3700X</u>	22,698	263
<u>Intel Xeon Platinum P-8124 @ 3.00GHz</u>	22,674	264
<u>Intel Core i7-12700T</u>	22,645	265



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Ryzen 5 5600X</u>	21,955	285
<u>Intel Core i9-9900X @ 3.50GHz</u>	21,869	286
<u>Intel Core i9-10910 @ 3.60GHz</u>	21,814	287
<u>Intel Xeon Gold 6132 @ 2.60GHz</u>	21,808	288
<u>Intel Xeon Gold 6130T @ 2.10GHz</u>	21,804	289
<u>Intel Core i5-12500H</u>	21,800	290
<u>AMD Ryzen 5 PRO 5645</u>	21,762	291
<u>Intel Xeon E5-2697A v4 @ 2.60GHz</u>	21,665	292
<u>Intel Xeon E5-2697 v4 @ 2.30GHz</u>	21,616	293
<u>AMD Ryzen 7 PRO 6860Z</u>	21,575	294
<u>AMD Ryzen 5 5600</u>	21,531	295
<u>Intel Xeon Gold 5218T @ 2.10GHz</u>	21,433	296
<u>AMD Ryzen 9 5980HS</u>	21,400	297
<u>AMD Ryzen 7 5800H</u>	21,336	298
<u>Intel Core i9-7900X @ 3.30GHz</u>	21,241	299
<u>Intel Core i5-12600</u>	21,220	300
<u>Intel Xeon W-2155 @ 3.30GHz</u>	21,207	301

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Ryzen 7 5800HS</u>	20,616	321
<u>Intel Core i9-10900F @ 2.80GHz</u>	20,606	322
<u>AMD Ryzen 7 6800U</u>	20,595	323
<u>AMD Ryzen 7 PRO 4750G</u>	20,588	324
<u>AMD EPYC 7451</u>	20,471	325
<u>Intel Xeon E5-2699 v3 @ 2.30GHz</u>	20,441	326
<u>Intel Xeon W-2150B @ 3.00GHz</u>	20,411	327
<u>Intel Xeon Gold 6244 @ 3.60GHz</u>	20,402	328
<u>Intel Core i7-7900X @ 3.30GHz</u>	20,324	329
<u>Intel Core i5-12500</u>	20,293	330
<u>Intel Core i9-10900 @ 2.80GHz</u>	20,243	331
<u>AMD Ryzen 7 4700GE</u>	20,218	332
<u>AMD Ryzen 7 4700G</u>	20,208	333
<u>Intel Xeon E-2386G @ 3.50GHz</u>	20,188	334
<u>AMD Ryzen 5 PRO 6650H</u>	20,103	335
<u>AMD Ryzen 5 PRO 5650G</u>	20,100	336
<u>Intel Xeon W-1290 @ 3.20GHz</u>	20,100	337

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i5-12400</u>	19,508	357
<u>AMD Ryzen 5 5500</u>	19,447	358
<u>Intel Core i9-9820X @ 3.30GHz</u>	19,420	359
<u>Intel Xeon Gold 6137 @ 3.90GHz</u>	19,365	360
<u>AMD Ryzen 9 4900HS</u>	19,321	361
<u>Intel Xeon E-2356G @ 3.20GHz</u>	19,310	362
<u>Intel Xeon W-1270P @ 3.80GHz</u>	19,245	363
<u>Intel Xeon E5-2697 v3 @ 2.60GHz</u>	19,232	364
<u>Intel Xeon Gold 6126 @ 2.60GHz</u>	19,223	365
<u>AMD Ryzen 9 4900H</u>	19,211	366
<u>Intel Core i7-10700K @ 3.80GHz</u>	19,168	367
<u>Intel Xeon W-1350 @ 3.30GHz</u>	19,120	368
<u>AMD Ryzen 5 6600HS Creator Edition</u>	19,050	369
<u>Intel Core i7-10700KF @ 3.80GHz</u>	19,021	370
<u>Intel Xeon Silver 4309Y @ 2.80GHz</u>	19,011	371
<u>Intel Xeon E5-2676 v4 @ 2.40GHz</u>	18,978	372
<u>AMD Ryzen 7 4800H</u>	18,921	373

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i9-11900T @ 1.50GHz</u>	18,293	393
<u>AMD Ryzen 5 3600X</u>	18,282	394
<u>AMD Ryzen 7 Extreme Edition</u>	18,261	395
<u>AMD Ryzen 7 5825U</u>	18,247	396
<u>Intel Xeon E7-8880 v3 @ 2.30GHz</u>	18,244	397
<u>Intel Core i5-11600 @ 2.80GHz</u>	18,179	398
<u>Intel Xeon W-2145 @ 3.70GHz</u>	18,158	399
<u>Intel Xeon E5-2686 v3 @ 2.00GHz</u>	18,148	400
<u>Intel Core i5-12450H</u>	18,147	401
<u>Intel Xeon Silver 4214R @ 2.40GHz</u>	18,130	402
<u>Intel Xeon Gold 5120T @ 2.20GHz</u>	18,127	403
<u>Intel Core i7-9800X @ 3.80GHz</u>	18,126	404
<u>AMD 4700S</u>	18,102	405
<u>Intel Xeon D-2187NT @ 2.00GHz</u>	18,070	406
<u>Intel Xeon E-2378 @ 2.60GHz</u>	17,959	407
<u>Intel Core i9-10900TE @ 1.80GHz</u>	17,888	408
<u>Intel Xeon E5-2680 v4 @ 2.40GHz</u>	17,859	409

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-6950X @ 3.00GHz</u>	17,339	429
<u>Intel Xeon E5-2683 v4 @ 2.10GHz</u>	17,276	430
<u>Apple M1 Pro 8 Core 3200 MHz</u>	17,233	431
<u>Intel Core i7-7820X @ 3.60GHz</u>	17,233	432
<u>Intel Core i5-11400F @ 2.60GHz</u>	17,211	433
<u>AMD Ryzen 5 5600H</u>	17,128	434
<u>Intel Core i5-11400 @ 2.60GHz</u>	17,087	435
<u>Intel Core i5-12600T</u>	17,074	436
<u>Intel Xeon E5-2689 v4 @ 3.10GHz</u>	17,040	437
<u>AMD Ryzen 7 4800U</u>	17,020	438
<u>AMD EPYC 7232P</u>	17,017	439
<u>Intel Xeon E-2336 @ 2.90GHz</u>	17,014	440
<u>AMD Ryzen Threadripper 1900X</u>	17,012	441
<u>Intel Core i7-1260P</u>	17,012	442
<u>Intel Core i7-10700F @ 2.90GHz</u>	16,980	443
<u>Intel Xeon E-2278G @ 3.40GHz</u>	16,964	444
<u>Intel Core i5-12500TE</u>	16,865	445

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i5-11500H @ 2.90GHz</u>	16,204	465
<u>Intel Xeon E5-2669 v3 @ 2.30GHz</u>	16,107	466
<u>Intel Core i9-10980HK @ 2.40GHz</u>	16,042	467
<u>AMD Ryzen 5 4500</u>	16,030	468
<u>Intel Xeon W-10885M @ 2.40GHz</u>	16,025	469
<u>Intel Core i5-11400H @ 2.70GHz</u>	15,987	470
<u>Intel Xeon W-11865MLE @ 1.50GHz</u>	15,958	471
<u>Intel Xeon Silver 4214 @ 2.20GHz</u>	15,934	472
<u>AMD Ryzen 7 4850U Mobile</u>	15,920	473
<u>Intel Core i7-11600H @ 2.90GHz</u>	15,907	474
<u>Intel Xeon E5-2660 v4 @ 2.00GHz</u>	15,898	475
<u>AMD Ryzen 7 5700U</u>	15,861	476
<u>Intel Xeon Gold 5117 @ 2.00GHz</u>	15,816	477
<u>Intel Xeon D-2733NT @ 2.10GHz</u>	15,799	478
<u>AMD Ryzen 7 2700</u>	15,777	479
<u>Intel Core i7-11700T @ 1.40GHz</u>	15,754	480
<u>Intel Core i5-11260H @ 2.60GHz</u>	15,724	481

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon Silver 4214Y @ 2.20GHz</u>	15,248	501
<u>Intel Xeon E-2286M @ 2.40GHz</u>	15,226	502
<u>Intel Xeon Silver 4116T @ 2.10GHz</u>	15,187	503
<u>Intel Xeon Silver 4210R @ 2.40GHz</u>	15,155	504
<u>Intel Xeon D-2166NT @ 2.00GHz</u>	15,105	505
<u>AMD Ryzen 5 PRO 5650U</u>	15,104	506
<u>Intel Xeon Silver 4215R @ 3.20GHz</u>	15,056	507
<u>Intel Xeon E5-2683 v3 @ 2.00GHz</u>	15,050	508
<u>Intel Core i3-12300</u>	15,023	509
<u>AMD EPYC 7301</u>	14,991	510
<u>AMD EPYC 7251</u>	14,935	511
<u>Intel Xeon Silver 4116 @ 2.10GHz</u>	14,931	512
<u>Intel Xeon E5-2699A v4 @ 2.40GHz</u>	14,917	513
<u>Intel Xeon E5-2658A v3 @ 2.20GHz</u>	14,879	514
<u>AMD Ryzen 7 1700</u>	14,852	515
<u>Intel Xeon D-1733NT @ 2.00GHz</u>	14,849	516
<u>Intel Core i7-10870H @ 2.20GHz</u>	14,840	517

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5-2658 v4 @ 2.30GHz</u>	14,434	537
<u>Intel Core i7-9700KF @ 3.60GHz</u>	14,405	539
<u>Intel Xeon Silver 4123 @ 3.00GHz</u>	14,405	538
<u>Apple M1 8 Core 3200 MHz</u>	14,369	540
<u>Intel Core i7-6900K @ 3.20GHz</u>	14,368	541
<u>Intel Xeon E5-2666 v3 @ 2.90GHz</u>	14,368	542
<u>Intel Core i3-12100F</u>	14,336	543
<u>Intel Xeon E-2236 @ 3.40GHz</u>	14,316	544
<u>Intel Xeon W-2235 @ 3.80GHz</u>	14,305	545
<u>Intel Core i3-12100</u>	14,296	546
<u>Intel Xeon E5-4660 v3 @ 2.10GHz</u>	14,256	547
<u>Intel Xeon D-1732TE @ 1.90GHz</u>	14,254	548
<u>Intel Xeon E5-2696 v2 @ 2.50GHz</u>	14,230	549
<u>Intel Xeon E5-2650 v4 @ 2.20GHz</u>	14,206	550
<u>Intel Xeon Silver 4210 @ 2.20GHz</u>	14,164	551
<u>Intel Xeon E5-2697 v2 @ 2.70GHz</u>	14,152	552
<u>Intel Xeon E5-1680 v4 @ 3.40GHz</u>	14,146	553



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Ryzen 3 5300GE</u>	13,636	573
<u>Intel Xeon E-2176G @ 3.70GHz</u>	13,631	574
<u>Intel Xeon Gold 6128 @ 3.40GHz</u>	13,605	575
<u>Intel Xeon W-1270TE @ 2.00GHz</u>	13,553	576
<u>Intel Core i7-1255U</u>	13,547	577
<u>AMD Ryzen 7 4700U</u>	13,527	578
<u>Intel Core i7-1265U</u>	13,508	579
<u>Intel Xeon E5-2676 v3 @ 2.40GHz</u>	13,498	580
<u>Intel Xeon E5-2695 v2 @ 2.40GHz</u>	13,497	581
<u>Intel Xeon E5-2690 v2 @ 3.00GHz</u>	13,490	582
<u>Intel Xeon E5-2658 v3 @ 2.20GHz</u>	13,487	583
<u>AMD Ryzen 5 4600U</u>	13,452	584
<u>Intel Core i5-1235U</u>	13,451	585
<u>Intel Core i7-9700F @ 3.00GHz</u>	13,433	586
<u>Intel Xeon E5-1660 v4 @ 3.20GHz</u>	13,398	587
<u>Intel Xeon E-2276G @ 3.80GHz</u>	13,371	588
<u>Intel Core i7-9700 @ 3.00GHz</u>	13,354	589

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-1260U</u>	13,024	609
<u>Intel Core i7-8700 @ 3.20GHz</u>	12,980	610
<u>Intel Xeon E5-4627 v4 @ 2.60GHz</u>	12,969	611
<u>Intel Core i3-12100TE</u>	12,961	612
<u>Intel Core i5-10500 @ 3.10GHz</u>	12,953	613
<u>Intel Xeon E5-2685 v3 @ 2.60GHz</u>	12,944	614
<u>Intel Xeon W-10855M @ 2.80GHz</u>	12,908	615
<u>Intel Core i7-7800X @ 3.50GHz</u>	12,904	616
<u>Intel Xeon Silver 4114 @ 2.20GHz</u>	12,852	617
<u>AMD Ryzen 5 3500</u>	12,831	618
<u>AMD Ryzen 5 PRO 4650U</u>	12,817	619
<u>Intel Xeon E5-2618L v4 @ 2.20GHz</u>	12,816	620
<u>Intel Core i3-12100T</u>	12,788	621
<u>Intel Core i7-9700E @ 2.60GHz</u>	12,751	622
<u>Intel Xeon E5-1680 v2 @ 3.00GHz</u>	12,694	623
<u>Intel Xeon E5-2680 v2 @ 2.80GHz</u>	12,686	624
<u>AMD Ryzen 3 3300X</u>	12,683	625

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-10850H @ 2.70GHz</u>	12,080	645
<u>AMD Ryzen 5 PRO 4500U</u>	12,049	646
<u>Intel Xeon E-2278GEL @ 2.00GHz</u>	12,024	647
<u>Intel Core i5-1245UE</u>	11,991	648
<u>Intel Xeon E5-2675 v3 @ 1.80GHz</u>	11,960	649
<u>Intel Core i7-11370H @ 3.30GHz</u>	11,937	650
<u>Intel Xeon E5-2640 v4 @ 2.40GHz</u>	11,831	651
<u>Intel Xeon E5-2650 v3 @ 2.30GHz</u>	11,822	652
<u>Intel Xeon E-2276M @ 2.80GHz</u>	11,821	653
<u>Intel Xeon E5-2650L v3 @ 1.80GHz</u>	11,806	654
<u>Snapdragon 8cx Gen 3 @ 3.0 GHz</u>	11,783	655
<u>Intel Xeon E5-2663 v3 @ 2.80GHz</u>	11,777	656
<u>Intel Xeon D-2146NT @ 2.30GHz</u>	11,736	657
<u>AMD Ryzen 3 3100</u>	11,648	658
<u>Intel Xeon D-1577 @ 1.30GHz</u>	11,645	659
<u>Intel Core i5-10500H @ 2.50GHz</u>	11,561	660
<u>Intel Xeon E5-2630 v4 @ 2.20GHz</u>	11,559	661

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i5-10600T @ 2.40GHz</u>	11,210	681
<u>Intel Xeon Silver 4208 @ 2.10GHz</u>	11,148	682
<u>Intel Core i7-9750HF @ 2.60GHz</u>	11,132	683
<u>Intel Core i7-9750H @ 2.60GHz</u>	11,120	684
<u>Intel Core i5-11300H @ 3.10GHz</u>	11,105	685
<u>Intel Xeon E5-2643 v4 @ 3.40GHz</u>	11,087	686
<u>Intel Xeon E-2176M @ 2.70GHz</u>	11,083	687
<u>AMD Ryzen 3 PRO 4350GE</u>	11,082	688
<u>Intel Xeon E5-2628L v4 @ 1.90GHz</u>	11,079	689
<u>AMD Ryzen 3 PRO 5450U</u>	11,064	690
<u>AMD Ryzen 5 4500U</u>	11,050	691
<u>Intel Core i5-11320H @ 3.20GHz</u>	11,043	692
<u>Intel Xeon E-2226G @ 3.40GHz</u>	11,036	693
<u>Intel Core i7-1195G7 @ 2.90GHz</u>	10,960	694
<u>AMD Ryzen 3 PRO 4200GE</u>	10,930	695
<u>Intel Xeon E5-4650 v2 @ 2.40GHz</u>	10,903	696
<u>AMD Ryzen 3 PRO 4350G</u>	10,898	697

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-1165G7 @ 2.80GHz</u>	10,487	717
<u>Intel Core i7-11390H @ 3.40GHz</u>	10,483	718
<u>Intel Xeon E5-2643 v3 @ 3.40GHz</u>	10,465	719
<u>Intel Xeon E5-2618L v3 @ 2.30GHz</u>	10,464	720
<u>Intel Core i5-1145G7E @ 2.60GHz</u>	10,454	721
<u>Intel Xeon D-1567 @ 2.10GHz</u>	10,447	722
<u>Intel Xeon E5-1650 v3 @ 3.50GHz</u>	10,403	723
<u>AMD Ryzen 5 PRO 1600</u>	10,401	724
<u>Intel Xeon E5-4640 v3 @ 1.90GHz</u>	10,372	725
<u>Intel Core i5-9500F @ 3.00GHz</u>	10,367	726
<u>Intel Core i3-10325 @ 3.90GHz</u>	10,362	727
<u>Intel Core i5-9600 @ 3.10GHz</u>	10,356	728
<u>Intel Xeon Silver 4109T @ 2.00GHz</u>	10,348	729
<u>Intel Core i7-5930K @ 3.50GHz</u>	10,333	730
<u>Intel Xeon E5-2658 v2 @ 2.40GHz</u>	10,331	731
<u>Intel Core i7-8700T @ 2.40GHz</u>	10,329	732
<u>Intel Core i7-8850H @ 2.60GHz</u>	10,316	733

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5-2628L v3 @ 2.00GHz</u>	9,949	753
<u>Intel Xeon E5-2687W @ 3.10GHz</u>	9,946	754
<u>Intel Core i3-1125G4 @ 2.00GHz</u>	9,933	755
<u>AMD Ryzen 3 5300U</u>	9,904	756
<u>Intel Core i7-10710U @ 1.10GHz</u>	9,904	757
<u>Intel Core i7-1068NG7 @ 2.30GHz</u>	9,903	759
<u>Intel Xeon E-2234 @ 3.60GHz</u>	9,903	758
<u>Intel Core i7-7740X @ 4.30GHz</u>	9,891	760
<u>Intel Core i5-8600 @ 3.10GHz</u>	9,872	761
<u>Intel Xeon E5-2648L v3 @ 1.80GHz</u>	9,847	762
<u>Intel Core i5-1140G7 @ 1.10GHz</u>	9,838	763
<u>Intel Core i7-5820K @ 3.30GHz</u>	9,824	764
<u>Intel Xeon E5-2690 @ 2.90GHz</u>	9,804	765
<u>Intel Xeon D-1718T @ 2.60GHz</u>	9,797	766
<u>Intel Xeon E5-2689 @ 2.60GHz</u>	9,767	767
<u>Intel Core i5-9500 @ 3.00GHz</u>	9,750	768
<u>Intel Xeon E-2244G @ 3.80GHz</u>	9,713	769

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5-1650 v2 @ 3.50GHz</u>	9,301	789
<u>AMD Ryzen 5 PRO 1500</u>	9,279	790
<u>Intel Xeon E3-1285 v6 @ 4.10GHz</u>	9,276	791
<u>Intel Xeon Silver 4108 @ 1.80GHz</u>	9,262	792
<u>AMD Ryzen 5 PRO 3400G</u>	9,252	793
<u>Intel Core i3-10300 @ 3.70GHz</u>	9,248	794
<u>Intel Core i5-8400 @ 2.80GHz</u>	9,237	795
<u>Intel Xeon D-1587 @ 1.70GHz</u>	9,223	796
<u>Intel Xeon E5-2651 v2 @ 1.80GHz</u>	9,216	797
<u>Intel Xeon E3-1275 v6 @ 3.80GHz</u>	9,202	798
<u>Intel Core i7-1160G7 @ 1.20GHz</u>	9,200	799
<u>Intel Xeon E5-2620 v4 @ 2.10GHz</u>	9,187	800
<u>Intel Xeon E3-1280 v6 @ 3.90GHz</u>	9,179	801
<u>Intel Core i7-1185GRE @ 2.80GHz</u>	9,142	802
<u>Intel Xeon E5-2629 v3 @ 2.40GHz</u>	9,139	803
<u>Intel Core i5-8500B @ 3.00GHz</u>	9,138	804
<u>Intel Xeon E5-2643 v2 @ 3.50GHz</u>	9,134	805

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon Gold 5122 @ 3.60GHz</u>	8,786	825
<u>Intel Core i3-10100 @ 3.60GHz</u>	8,753	826
<u>Intel Xeon E-2134 @ 3.50GHz</u>	8,741	827
<u>AMD Ryzen 5 2400G</u>	8,727	828
<u>Intel Core i3-10105 @ 3.70GHz</u>	8,720	829
<u>Intel Core i7-8809G @ 3.10GHz</u>	8,706	830
<u>Intel Core i7-8559U @ 2.70GHz</u>	8,702	831
<u>Intel Xeon E3-1240 v6 @ 3.70GHz</u>	8,696	832
<u>Intel Xeon W-2223 @ 3.60GHz</u>	8,694	833
<u>ARM X-Gene 32 Core 3300 MHz</u>	8,684	834
<u>Intel Core i7-7700 @ 3.60GHz</u>	8,650	835
<u>Intel Core i5-10300H @ 2.50GHz</u>	8,644	836
<u>Intel Xeon E5-4650 @ 2.70GHz</u>	8,630	837
<u>Intel Xeon E5-2648L v2 @ 1.90GHz</u>	8,611	838
<u>Intel Xeon E3-1245 v6 @ 3.70GHz</u>	8,578	839
<u>Intel Core i5-1145GRE @ 2.60GHz</u>	8,564	840
<u>Apple A14 Bionic</u>	8,531	841



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Opteron 6386 SE</u>	8,320	861
<u>Intel Xeon E3-1240 v5 @ 3.50GHz</u>	8,306	862
<u>Intel Core i7-1180G7 @ 1.30GHz</u>	8,304	863
<u>Intel Xeon E3-1270 v5 @ 3.60GHz</u>	8,295	864
<u>Intel Core i5-9400H @ 2.50GHz</u>	8,289	865
<u>Intel Core i5-9500T @ 2.20GHz</u>	8,282	866
<u>AMD Ryzen 5 PRO 3400GE</u>	8,274	867
<u>Intel Xeon E5-2470 @ 2.30GHz</u>	8,262	868
<u>AMD Ryzen 7 3750H</u>	8,260	869
<u>Intel Core i7-3930K @ 3.20GHz</u>	8,254	870
<u>Intel Core i3-10100E @ 3.20GHz</u>	8,229	871
<u>AMD Ryzen Embedded V1756B</u>	8,216	872
<u>Intel Xeon E3-1230 v6 @ 3.50GHz</u>	8,206	873
<u>Intel Core i3-10300T @ 3.00GHz</u>	8,205	874
<u>Intel Xeon E3-1535M v6 @ 3.10GHz</u>	8,203	875
<u>Intel Xeon E3-1260L v5 @ 2.90GHz</u>	8,200	876
<u>Intel Core i7-8557U @ 1.70GHz</u>	8,192	877

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E3-1245 v5 @ 3.50GHz</u>	7,944	897
<u>Intel Core i3-10105T @ 3.00GHz</u>	7,943	898
<u>Intel Xeon E3-1515M v5 @ 2.80GHz</u>	7,938	899
<u>AMD Ryzen 5 3550H</u>	7,936	900
<u>Intel Core i7-8705G @ 3.10GHz</u>	7,935	901
<u>Intel Xeon E3-1545M v5 @ 2.90GHz</u>	7,926	902
<u>Intel Core i7-8709G @ 3.10GHz</u>	7,921	903
<u>AMD Ryzen 5 2600H</u>	7,876	904
<u>Intel Xeon E5-2620 v3 @ 2.40GHz</u>	7,871	905
<u>Intel Core i5-8260U @ 1.60GHz</u>	7,851	906
<u>Intel Core i7-5775R @ 3.30GHz</u>	7,844	907
<u>MediaTek MT6983</u>	7,829	908
<u>Intel Core i5-9400T @ 1.80GHz</u>	7,806	909
<u>Intel Core i7-5775C @ 3.30GHz</u>	7,803	910
<u>Intel Xeon E5-2640 v2 @ 2.00GHz</u>	7,785	911
<u>AMD Ryzen 5 1400</u>	7,777	912
<u>Intel Core i5-9300H @ 2.40GHz</u>	7,737	913

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-7700T @ 2.90GHz</u>	7,564	933
<u>Intel Xeon E3-1535M v5 @ 2.90GHz</u>	7,543	934
<u>AMD Ryzen 3 4300U</u>	7,533	935
<u>Intel Core i7-7820HK @ 2.90GHz</u>	7,531	936
<u>Intel Xeon E5-2450 @ 2.10GHz</u>	7,530	937
<u>Intel Core i5-8300H @ 2.30GHz</u>	7,525	939
<u>Intel Xeon E3-1271 v3 @ 3.60GHz</u>	7,525	938
<u>Intel Xeon E5-2630 v2 @ 2.60GHz</u>	7,508	940
<u>Intel Core i3-9350KF @ 4.00GHz</u>	7,495	941
<u>AMD Ryzen 5 2400GE</u>	7,489	942
<u>Intel Core i5-8400T @ 1.70GHz</u>	7,486	943
<u>AMD Ryzen 5 PRO 2400GE</u>	7,477	946
<u>Intel Core i7-7920HQ @ 3.10GHz</u>	7,477	945
<u>Intel Xeon E5-2667 @ 2.90GHz</u>	7,477	944
<u>Intel Xeon E5-2650L v2 @ 1.70GHz</u>	7,475	947
<u>Intel Xeon E-2124G @ 3.40GHz</u>	7,468	948
<u>Intel Xeon E3-1281 v3 @ 3.70GHz</u>	7,463	949

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5-2637 v4 @ 3.50GHz</u>	7,322	969
<u>AMD Ryzen 3 3200GE</u>	7,312	970
<u>Intel Xeon E3-1270 v3 @ 3.50GHz</u>	7,310	971
<u>Intel Core i7-995X @ 3.60GHz</u>	7,297	972
<u>AMD Opteron 6281</u>	7,279	973
<u>Intel Core i3-9300 @ 3.70GHz</u>	7,279	974
<u>Intel Xeon E-2224 @ 3.40GHz</u>	7,268	975
<u>Intel Xeon E3-1246 v3 @ 3.50GHz</u>	7,248	976
<u>Intel Core i7-6700T @ 2.80GHz</u>	7,247	977
<u>AMD Ryzen 7 3700U</u>	7,234	978
<u>Intel Core i7-4790 @ 3.60GHz</u>	7,229	979
<u>Intel Xeon E5-4610 v3 @ 1.70GHz</u>	7,229	980
<u>Intel Xeon W3690 @ 3.47GHz</u>	7,219	981
<u>Intel Xeon E3-1275 v3 @ 3.50GHz</u>	7,200	982
<u>AMD Ryzen 3 3200G</u>	7,187	983
<u>Intel Xeon E5-2628L v2 @ 1.90GHz</u>	7,181	984
<u>Intel Xeon D-1537 @ 1.70GHz</u>	7,176	985

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-4770 @ 3.40GHz</u>	7,044	1005
<u>Intel Core i7-5850EQ @ 2.70GHz</u>	7,036	1006
<u>Intel Xeon E5-4640 @ 2.40GHz</u>	7,012	1007
<u>Intel Xeon E3-1231 v3 @ 3.40GHz</u>	7,010	1008
<u>Intel Xeon E3-1245 v3 @ 3.40GHz</u>	7,008	1009
<u>Intel Xeon E5-1620 v3 @ 3.50GHz</u>	6,998	1010
<u>Intel Xeon E-2124 @ 3.30GHz</u>	6,992	1011
<u>Intel Xeon E3-1505M v5 @ 2.80GHz</u>	6,992	1012
<u>AMD Ryzen 5 PRO 3500U</u>	6,991	1013
<u>Intel Core i7-10610U @ 1.80GHz</u>	6,989	1014
<u>Intel Xeon E3-1285 v3 @ 3.60GHz</u>	6,987	1015
<u>Intel Xeon E5-4607 v2 @ 2.60GHz</u>	6,986	1016
<u>AMD Ryzen 3 PRO 3200G</u>	6,985	1017
<u>Intel Core i5-8305G @ 2.80GHz</u>	6,984	1018
<u>Intel Core i7-7700HQ @ 2.80GHz</u>	6,967	1019
<u>Intel Core i7-4790S @ 3.20GHz</u>	6,964	1020
<u>Intel Xeon E3-1265L v4 @ 2.30GHz</u>	6,954	1021

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E3-1285L v3 @ 3.10GHz</u>	6,834	1041
<u>AMD Ryzen Embedded V1605B</u>	6,830	1042
<u>Intel Xeon E5-4620 @ 2.20GHz</u>	6,830	1043
<u>Intel Core i7-980X @ 3.33GHz</u>	6,819	1044
<u>vendor Kirin9000</u>	6,815	1045
<u>AMD Ryzen 5 PRO 2500U</u>	6,809	1046
<u>Intel Core i7-4770S @ 3.10GHz</u>	6,802	1047
<u>Intel Xeon E3-1230 v3 @ 3.30GHz</u>	6,801	1048
<u>Intel Xeon X5680 @ 3.33GHz</u>	6,795	1049
<u>Intel Core i5-7640X @ 4.00GHz</u>	6,791	1050
<u>Intel Core i7-6700TE @ 2.40GHz</u>	6,789	1051
<u>Intel Xeon E5-2448L v2 @ 1.80GHz</u>	6,774	1052
<u>AMD Ryzen 3 2200G</u>	6,773	1053
<u>Intel Core i3-9100F @ 3.60GHz</u>	6,767	1054
<u>AMD Ryzen 5 3450U</u>	6,760	1055
<u>Intel Pentium Gold G7400</u>	6,759	1056
<u>Intel Core i7-10510U @ 1.80GHz</u>	6,745	1057

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-970 @ 3.20GHz</u>	6,493	1077
<u>AMD Opteron 6380</u>	6,488	1078
<u>Odin based on Qualcomm Technologies, Inc SM8350</u>	6,479	1079
<u>Intel Xeon E3-1290 V2 @ 3.70GHz</u>	6,470	1080
<u>Intel Core i7-3770K @ 3.50GHz</u>	6,465	1081
<u>Intel Xeon E5-4610 @ 2.40GHz</u>	6,460	1082
<u>Intel Core i7-4820K @ 3.70GHz</u>	6,456	1083
<u>Intel Xeon W3670 @ 3.20GHz</u>	6,455	1084
<u>Intel Xeon E3-1286L v3 @ 3.20GHz</u>	6,450	1085
<u>Snapdragon 8cx Gen 2 @ 3.0 GHz</u>	6,448	1086
<u>Intel Xeon Silver 4112 @ 2.60GHz</u>	6,420	1087
<u>Intel Xeon E3-1270 V2 @ 3.50GHz</u>	6,415	1089
<u>Intel Xeon E5-2608L v3 @ 2.00GHz</u>	6,415	1088
<u>MT6893Z/CZA</u>	6,414	1090
<u>Intel Xeon X5675 @ 3.07GHz</u>	6,412	1091
<u>Intel Core i7-4790T @ 2.70GHz</u>	6,406	1092
<u>Intel Core i7-4870HQ @ 2.50GHz</u>	6,405	1093

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5-4617 @ 2.90GHz</u>	6,298	1113
<u>Intel Xeon E5-2640 @ 2.50GHz</u>	6,272	1114
<u>Intel Xeon E5-2620 v2 @ 2.10GHz</u>	6,260	1115
<u>Intel Core i7-8565U @ 1.80GHz</u>	6,256	1116
<u>Intel Core i7-8665U @ 1.90GHz</u>	6,251	1117
<u>Intel Core i5-8350U @ 1.70GHz</u>	6,246	1118
<u>AMD Opteron 6276</u>	6,245	1119
<u>AMD Ryzen Embedded V1404I</u>	6,241	1120
<u>vendor Kirin9000E</u>	6,235	1121
<u>Intel Core i3-8300 @ 3.70GHz</u>	6,231	1122
<u>Intel Core i3-1115G4 @ 3.00GHz</u>	6,229	1123
<u>Intel Core i7-4910MQ @ 2.90GHz</u>	6,220	1124
<u>Intel Core i5-8365U @ 1.60GHz</u>	6,219	1125
<u>Intel Xeon D-1622 @ 2.60GHz</u>	6,205	1126
<u>Intel Xeon E3-1230 V2 @ 3.30GHz</u>	6,199	1127
<u>Intel Core i7-8565UC @ 1.80GHz</u>	6,187	1128
<u>Intel Core i7-3770S @ 3.10GHz</u>	6,183	1129



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon X5670 @ 2.93GHz</u>	6,071	1149
<u>AMD Opteron 6344</u>	6,069	1150
<u>Intel Xeon E3-1275L v3 @ 2.70GHz</u>	6,065	1151
<u>Intel Xeon E5-2630 @ 2.30GHz</u>	6,064	1152
<u>Intel Xeon E-2104G @ 3.20GHz</u>	6,057	1153
<u>Intel Core i5-8265U @ 1.60GHz</u>	6,055	1154
<u>AMD EPYC 3101 4-Core</u>	6,050	1155
<u>Intel Core i7-4810MQ @ 2.80GHz</u>	6,046	1156
<u>Intel Core i5-7500 @ 3.40GHz</u>	6,045	1157
<u>Intel Core i3-8100B @ 3.60GHz</u>	6,041	1158
<u>AMD Ryzen 3 2200GE</u>	6,031	1159
<u>AMD Ryzen 3 PRO 2200GE</u>	6,021	1160
<u>AMD FX-8350 Eight-Core</u>	6,007	1161
<u>Qualcomm Technologies, Inc SM8350</u>	6,006	1162
<u>Rockchip RK3588</u>	5,998	1163
<u>Intel Core i5-8265UC @ 1.60GHz</u>	5,988	1164
<u>AMD Ryzen 3 PRO 2300U</u>	5,977	1165

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5-1620 @ 3.60GHz</u>	5,869	1185
<u>Intel Core i7-4770T @ 2.50GHz</u>	5,867	1186
<u>Intel Core i5-1030NG7 @ 1.10GHz</u>	5,858	1187
<u>Intel Core i7-4800MQ @ 2.70GHz</u>	5,857	1188
<u>Intel Core i7-4710MQ @ 2.50GHz</u>	5,850	1189
<u>Intel Core i3-8300T @ 3.20GHz</u>	5,848	1190
<u>Intel Core i3-1115G4E @ 3.00GHz</u>	5,810	1191
<u>Intel Core i5-8365UE @ 1.60GHz</u>	5,797	1192
<u>MT6891</u>	5,791	1193
<u>Intel Core i7-3820 @ 3.60GHz</u>	5,783	1194
<u>Intel Core i7-3920XM @ 2.90GHz</u>	5,781	1195
<u>vendor Kirin990</u>	5,778	1196
<u>AMD Opteron 4274 HE</u>	5,776	1198
<u>Microsoft SQ2 @ 3.15 GHz</u>	5,776	1197
<u>Intel Core i7-3820QM @ 2.70GHz</u>	5,774	1199
<u>AMD Ryzen 3 3300U</u>	5,772	1200
<u>Intel Xeon Bronze 3106 @ 1.70GHz</u>	5,769	1201

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Opteron 6238</u>	5,625	1221
<u>Intel Core i7-4722HQ @ 2.40GHz</u>	5,620	1222
<u>Intel Core i7-4700HQ @ 2.40GHz</u>	5,613	1223
<u>Intel Xeon E3-1280 @ 3.50GHz</u>	5,613	1224
<u>Intel Core i5-4690 @ 3.50GHz</u>	5,604	1225
<u>Intel Core i7-4750HQ @ 2.00GHz</u>	5,590	1226
<u>Intel Core i5-7440HQ @ 2.80GHz</u>	5,575	1227
<u>AMD Opteron 6376</u>	5,572	1228
<u>Intel Core i3-9100T @ 3.10GHz</u>	5,565	1229
<u>Intel Core i5-4670K @ 3.40GHz</u>	5,554	1230
<u>AMD Ryzen 3 2300U</u>	5,547	1231
<u>Qualcomm Technologies, Inc KONA</u>	5,543	1232
<u>Intel Core i7-3615QE @ 2.30GHz</u>	5,531	1233
<u>Intel Core i7-3770T @ 2.50GHz</u>	5,518	1234
<u>Intel Core i7-4710HQ @ 2.50GHz</u>	5,513	1235
<u>Intel Xeon E3-1226 v3 @ 3.30GHz</u>	5,508	1236
<u>Intel Xeon E5-2643 @ 3.30GHz</u>	5,506	1237

CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u>Intel Core i5-6440EQ @ 2.70GHz</u>	5,394	1257
<u>Intel Core i5-4690S @ 3.20GHz</u>	5,389	1258
<u>Intel Xeon E5-2418L v2 @ 2.00GHz</u>	5,380	1259
<u>Intel Xeon E3-1240 @ 3.30GHz</u>	5,368	1260
<u>Intel Pentium Silver N6005 @ 2.00GHz</u>	5,360	1261
<u>Intel Xeon E5-2609 v4 @ 1.70GHz</u>	5,351	1262
<u>Intel Core i5-4590 @ 3.30GHz</u>	5,345	1263
<u>Intel Core i7-2600 @ 3.40GHz</u>	5,345	1264
<u>AMD FX-8370E Eight-Core</u>	5,331	1265
<u>Intel Core i7-4700MQ @ 2.40GHz</u>	5,320	1266
<u>Intel Xeon E3-1245 @ 3.30GHz</u>	5,320	1267
<u>Intel Core i5-7500T @ 2.70GHz</u>	5,313	1268
<u>AMD Opteron 6328</u>	5,306	1269
<u>Intel Xeon E5-2630L @ 2.00GHz</u>	5,305	1270
<u>Intel Xeon E3-1240L v3 @ 2.00GHz</u>	5,304	1271
<u>Intel Xeon E3-1505L v5 @ 2.00GHz</u>	5,301	1272
<u>Vili based on Qualcomm Technologies, Inc SM8350</u>	5,299	1273

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E3-1230L v3 @ 1.80GHz</u>	5,227	1293
<u>AMD FX-8150 Eight-Core</u>	5,213	1294
<u>Haydn based on Qualcomm Technologies, Inc SM8350</u>	5,211	1295
<u>AMD Ryzen 5 3500C</u>	5,208	1296
<u>Intel Core i5-4570 @ 3.20GHz</u>	5,206	1297
<u>Intel Xeon E3-1220 v3 @ 3.10GHz</u>	5,195	1298
<u>Star based on Qualcomm Technologies, Inc SM8350</u>	5,192	1299
<u>Samsung Exynos 2100</u>	5,175	1300
<u>AMD FX-8310 Eight-Core</u>	5,165	1301
<u>Intel Core i5-6400 @ 2.70GHz</u>	5,163	1302
<u>Intel Core i7-3615QM @ 2.30GHz</u>	5,140	1303
<u>Intel Core i5-6440HQ @ 2.60GHz</u>	5,134	1304
<u>Intel Core i5-4590S @ 3.00GHz</u>	5,124	1305
<u>Intel Core i7-4702MQ @ 2.20GHz</u>	5,123	1306
<u>Intel Core i7-3630QM @ 2.40GHz</u>	5,118	1307
<u>Intel Xeon E5-2420 @ 1.90GHz</u>	5,104	1308
<u>MT6893</u>	5,102	1309

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E3-1235 @ 3.20GHz</u>	5,001	1329
<u>Intel Xeon E3-1290 @ 3.60GHz</u>	4,988	1330
<u>Intel Core i5-10210Y @ 1.00GHz</u>	4,964	1331
<u>Intel Xeon E5645 @ 2.40GHz</u>	4,955	1332
<u>Intel Xeon E5-1607 v3 @ 3.10GHz</u>	4,948	1333
<u>Intel Core i5-3570K @ 3.40GHz</u>	4,945	1334
<u>Intel Core i7-4700EQ @ 2.40GHz</u>	4,941	1335
<u>Intel Core i5-4570S @ 2.90GHz</u>	4,934	1336
<u>Intel Core i7-3612QE @ 2.10GHz</u>	4,929	1337
<u>Intel Core i5-3570 @ 3.40GHz</u>	4,909	1338
<u>SM8450</u>	4,896	1339
<u>Intel Core i3-7350K @ 4.20GHz</u>	4,868	1340
<u>AMD FX-8140 Eight-Core</u>	4,860	1341
<u>AMD Opteron 6366 HE</u>	4,858	1342
<u>Intel Xeon E3-1265L V2 @ 2.50GHz</u>	4,850	1343
<u>Intel Core i3-7320 @ 4.10GHz</u>	4,848	1344
<u>Intel Core i5-6500TE @ 2.30GHz</u>	4,846	1346

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-2960XM @ 2.70GHz</u>	4,710	1366
<u>Intel Xeon D-1527 @ 2.20GHz</u>	4,710	1365
<u>Intel Atom C3858 @ 2.00GHz</u>	4,707	1367
<u>Intel Xeon E5-1410 @ 2.80GHz</u>	4,701	1368
<u>Intel Xeon E5-2603 v4 @ 1.70GHz</u>	4,695	1369
<u>Intel Xeon E3-1220 V2 @ 3.10GHz</u>	4,685	1370
<u>Intel Core i5-3470 @ 3.20GHz</u>	4,673	1371
<u>Intel Core i5-4430 @ 3.00GHz</u>	4,667	1372
<u>AMD Opteron 4284</u>	4,665	1373
<u>Intel Core i5-4690T @ 2.50GHz</u>	4,660	1374
<u>Intel Core i7-3632QM @ 2.20GHz</u>	4,645	1375
<u>AMD FX-8120 Eight-Core</u>	4,642	1376
<u>AMD Athlon Silver PRO 3125GE</u>	4,633	1377
<u>Intel Core i7-3612QM @ 2.10GHz</u>	4,629	1378
<u>Intel Core i5-3570S @ 3.10GHz</u>	4,627	1379
<u>Intel Xeon L5640 @ 2.27GHz</u>	4,626	1380
<u>Intel Core i7-2860QM @ 2.50GHz</u>	4,625	1381

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i3-9100TE @ 2.20GHz</u>	4,501	1401
<u>AMD FX-6350 Six-Core</u>	4,485	1402
<u>AMD Athlon 3000G</u>	4,483	1403
<u>Qualcomm Technologies, Inc SM8150</u>	4,480	1404
<u>vendor Kirin820</u>	4,472	1405
<u>Intel Core i5-4570R @ 2.70GHz</u>	4,459	1406
<u>Intel Core i5-3450 @ 3.10GHz</u>	4,456	1407
<u>Intel Pentium 6805 @ 1.10GHz</u>	4,448	1408
<u>Intel Xeon E5-1603 v3 @ 2.80GHz</u>	4,444	1409
<u>AMD Athlon PRO 300GE</u>	4,432	1410
<u>AMD Athlon 220GE</u>	4,424	1411
<u>Intel Xeon E5-2609 v3 @ 1.90GHz</u>	4,423	1412
<u>Intel Xeon L5639 @ 2.13GHz</u>	4,419	1413
<u>Intel Core i7-2820QM @ 2.30GHz</u>	4,409	1414
<u>Intel Celeron G6900</u>	4,408	1415
<u>Intel Core i3-6300 @ 3.80GHz</u>	4,403	1416
<u>Intel Core i3-6320 @ 3.90GHz</u>	4,398	1417



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Apple A11 Bionic</u>	4,310	1437
<u>AMD Athlon 300GE</u>	4,301	1438
<u>Intel Pentium Gold G6405 @ 4.10GHz</u>	4,287	1439
<u>Hisilicon Kirin980</u>	4,286	1440
<u>AMD Athlon 320GE</u>	4,285	1441
<u>Intel Atom C3958 @ 2.00GHz</u>	4,281	1442
<u>Intel Xeon E5-1607 v2 @ 3.00GHz</u>	4,270	1443
<u>Intel Core i3-8109U @ 3.00GHz</u>	4,269	1444
<u>AMD FX-6330 Six-Core</u>	4,264	1445
<u>Intel Core i5-6350HQ @ 2.30GHz</u>	4,255	1446
<u>Intel Core i5-3350P @ 3.10GHz</u>	4,247	1447
<u>Intel Core i7-7567U @ 3.50GHz</u>	4,243	1448
<u>Intel Xeon E5-2648L @ 1.80GHz</u>	4,235	1449
<u>Intel Atom x6413E @ 1.50GHz</u>	4,228	1450
<u>Intel Core i3-8140U @ 2.10GHz</u>	4,227	1451
<u>Intel Core i5-3340 @ 3.10GHz</u>	4,225	1452
<u>Intel Core i5-4430S @ 2.70GHz</u>	4,216	1453

CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u>Intel Pentium Gold G6400 @ 4.00GHz</u>	4,130	1473
<u>Qualcomm Technologies, Inc SM6375</u>	4,126	1474
<u>Intel Core i7-7660U @ 2.50GHz</u>	4,119	1475
<u>Intel Core i5-2500K @ 3.30GHz</u>	4,111	1476
<u>AMD Athlon 200GE</u>	4,110	1477
<u>Intel Core i5-2500 @ 3.30GHz</u>	4,103	1478
<u>Intel Pentium Gold G5620 @ 4.00GHz</u>	4,102	1479
<u>Intel Core i5-3330 @ 3.00GHz</u>	4,090	1480
<u>Intel Core i5-3340S @ 2.80GHz</u>	4,088	1482
<u>MT6833P</u>	4,088	1481
<u>Intel Core i3-8145UE @ 2.20GHz</u>	4,087	1483
<u>Intel Celeron N5105 @ 2.00GHz</u>	4,085	1484
<u>ARM - 8 Core 1766 MHz</u>	4,080	1485
<u>AMD FX-6200 Six-Core</u>	4,079	1486
<u>AMD Opteron 6234</u>	4,072	1487
<u>Intel Core i7-2720QM @ 2.20GHz</u>	4,058	1488
<u>MT6833V/PNZA</u>	4,058	1489

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>MT8789V/CT</u>	3,946	1509
<u>Intel Core i5-7260U @ 2.20GHz</u>	3,936	1510
<u>Intel Core i7-985 @ 3.47GHz</u>	3,928	1511
<u>Intel Celeron J6412 @ 2.00GHz</u>	3,919	1512
<u>Intel Core i3-1115GRE @ 3.00GHz</u>	3,918	1513
<u>AMD Ryzen 3 3250U</u>	3,917	1514
<u>Intel Core i3-7101TE @ 3.40GHz</u>	3,911	1515
<u>AMD Opteron 4332 HE</u>	3,906	1516
<u>MediaTek MT6873</u>	3,899	1517
<u>Intel Core i5-6287U @ 3.10GHz</u>	3,894	1518
<u>MT6781</u>	3,888	1519
<u>AMD A8-7500</u>	3,878	1520
<u>Intel Xeon E3-1220 @ 3.10GHz</u>	3,877	1521
<u>AMD Ryzen Embedded R1505G</u>	3,870	1522
<u>Intel Core i7-2675QM @ 2.20GHz</u>	3,859	1523
<u>AMD Ryzen 3 3200U</u>	3,858	1524
<u>AMD FX-6120 Six-Core</u>	3,857	1525

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i3-7100T @ 3.40GHz</u>	3,786	1546
<u>Intel Core i7-7560U @ 2.40GHz</u>	3,786	1545
<u>AMD Athlon X4 845</u>	3,783	1547
<u>Intel Pentium G4620 @ 3.70GHz</u>	3,775	1548
<u>ARM Cortex-A57 8 Core 1766 MHz</u>	3,766	1549
<u>AMD Phenom II X6 1100T</u>	3,762	1550
<u>Intel Pentium N6415 @ 1.20GHz</u>	3,760	1551
<u>AMD PRO A12-9800</u>	3,758	1552
<u>Intel Core i7-6660U @ 2.40GHz</u>	3,753	1555
<u>Intel Xeon E5-1607 @ 3.00GHz</u>	3,753	1554
<u>MT6833</u>	3,753	1553
<u>AMD PRO A10-8850B</u>	3,752	1556
<u>Intel Xeon E5-2603 v3 @ 1.60GHz</u>	3,752	1557
<u>Intel Pentium Gold G6405T @ 3.50GHz</u>	3,746	1558
<u>Intel Pentium Gold G5400 @ 3.70GHz</u>	3,730	1559
<u>Intel Xeon E5630 @ 2.53GHz</u>	3,730	1560
<u>Intel Core i7-2670QM @ 2.20GHz</u>	3,728	1561

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Samsung Exynos 9825</u>	3,629	1581
<u>Snapdragon 7c @ 1.96 GHz</u>	3,628	1582
<u>DG1301SML87HY</u>	3,624	1583
<u>Intel Core i5-4460T @ 1.90GHz</u>	3,619	1584
<u>Intel Pentium G4600 @ 3.60GHz</u>	3,616	1585
<u>Intel Core i7-6650U @ 2.20GHz</u>	3,610	1586
<u>Intel Pentium Gold G5420 @ 3.80GHz</u>	3,602	1587
<u>Intel Pentium Gold G5600T @ 3.30GHz</u>	3,601	1588
<u>Intel Pentium Gold G6400T @ 3.40GHz</u>	3,586	1589
<u>MT6853V/TNZA</u>	3,583	1590
<u>Intel Core i3-4170 @ 3.70GHz</u>	3,577	1591
<u>MT6853V/ZA</u>	3,577	1592
<u>AMD Embedded R-Series RX-421ND</u>	3,575	1593
<u>Samsung Exynos 9810</u>	3,569	1594
<u>AMD Opteron 6176 SE</u>	3,564	1595
<u>Intel Core i3-4360 @ 3.70GHz</u>	3,558	1596
<u>AMD A10-9700</u>	3,544	1597

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD A10-7890K</u>	3,482	1617
<u>AMD Opteron 6164 HE</u>	3,478	1618
<u>Intel Core i7-6600U @ 2.60GHz</u>	3,473	1619
<u>Intel Xeon E5-2609 v2 @ 2.50GHz</u>	3,466	1620
<u>AMD PRO A10-8770</u>	3,465	1621
<u>Intel Core i5-4340M @ 2.90GHz</u>	3,461	1622
<u>Intel Core i3-4350 @ 3.60GHz</u>	3,459	1623
<u>Snapdragon 7c Gen 2 @ 2.55 GHz</u>	3,457	1624
<u>Intel Pentium Silver J5040 @ 2.00GHz</u>	3,453	1625
<u>Intel Xeon E5-1603 @ 2.80GHz</u>	3,449	1626
<u>AMD A12-9800E</u>	3,447	1627
<u>Intel Xeon X5698 @ 4.40GHz</u>	3,447	1628
<u>Intel Core i5-L16G7 @ 1.40GHz</u>	3,445	1629
<u>MediaTek MT6785V/CD</u>	3,443	1630
<u>Intel Core i3-7100H @ 3.00GHz</u>	3,430	1631
<u>AMD Embedded R-Series RX-418GD Radeon R6</u>	3,426	1632
<u>AMD Athlon X4 860K</u>	3,423	1633

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i3-4370T @ 3.30GHz</u>	3,361	1653
<u>Intel Core i3-4150 @ 3.50GHz</u>	3,350	1654
<u>Qualcomm Technologies, Inc SDMMAGPIEP</u>	3,349	1655
<u>Intel Xeon W3565 @ 3.20GHz</u>	3,345	1656
<u>AMD Phenom II X6 1065T</u>	3,341	1657
<u>Intel Celeron N5100 @ 1.10GHz</u>	3,341	1659
<u>Intel Core i7-965 @ 3.20GHz</u>	3,341	1658
<u>AMD Phenom II X6 1405T</u>	3,335	1660
<u>Qualcomm Technologies, Inc SM7225</u>	3,328	1661
<u>AMD FX-4150 Quad-Core</u>	3,327	1662
<u>Intel Xeon D-1520 @ 2.20GHz</u>	3,324	1663
<u>AMD FX-9830P</u>	3,320	1665
<u>Qualcomm Technologies, Inc SDM765G 5G</u>	3,320	1664
<u>Intel Core i7-6560U @ 2.20GHz</u>	3,319	1666
<u>AMD A10-7860K</u>	3,317	1667
<u>Intel Core i3-6100E @ 2.70GHz</u>	3,315	1668
<u>Intel Core i3-4130 @ 3.40GHz</u>	3,308	1669

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i5-6300U @ 2.40GHz</u>	3,250	1689
<u>Intel Xeon X3480 @ 3.07GHz</u>	3,250	1690
<u>Qualcomm Technologies, Inc LITO</u>	3,250	1691
<u>AMD FX-4330</u>	3,248	1692
<u>AMD FX-4350 Quad-Core</u>	3,246	1694
<u>Intel Xeon X5570 @ 2.93GHz</u>	3,246	1693
<u>Intel Core i3-4570T @ 2.90GHz</u>	3,244	1695
<u>AMD A10-8750</u>	3,243	1696
<u>AMD PRO A8-8650B</u>	3,241	1697
<u>Intel Pentium D1508 @ 2.20GHz</u>	3,240	1698
<u>AMD Phenom II X6 1055T</u>	3,239	1700
<u>Intel Xeon W5590 @ 3.33GHz</u>	3,239	1699
<u>ZHAOXIN KaiXian KX-U6580@2.5GHz</u>	3,227	1701
<u>Intel Xeon X3470 @ 2.93GHz</u>	3,225	1702
<u>Intel Core i7-2715QE @ 2.10GHz</u>	3,221	1703
<u>Qualcomm Technologies, Inc SDM720G</u>	3,219	1704
<u>AMD A12-9730P</u>	3,216	1705



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD A10-6800K APU</u>	3,173	1726
<u>AMD A10-7800 APU</u>	3,173	1725
<u>Intel Xeon Gold 6262V @ 1.90GHz</u>	3,161	1727
<u>AMD PRO A12-9800E</u>	3,158	1728
<u>Intel Core i5-4570T @ 2.90GHz</u>	3,158	1729
<u>Intel Pentium Silver N6000 @ 1.10GHz</u>	3,147	1730
<u>AMD A10-7700K APU</u>	3,145	1732
<u>Intel Core i5-6360U @ 2.00GHz</u>	3,145	1731
<u>AMD Opteron X3418 APU</u>	3,137	1734
<u>Intel Core i3-4160T @ 3.10GHz</u>	3,137	1733
<u>Intel Core i5-4200H @ 2.80GHz</u>	3,134	1735
<u>Intel Pentium G4600T @ 3.00GHz</u>	3,130	1736
<u>Intel Xeon X5560 @ 2.80GHz</u>	3,124	1737
<u>vendor Kirin970</u>	3,123	1738
<u>Intel Core i5-5287U @ 2.90GHz</u>	3,122	1739
<u>Intel Core i7-2635QM @ 2.00GHz</u>	3,118	1740
<u>AMD FX-4170 Quad-Core</u>	3,115	1741

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i5-24050S @ 2.50GHz</u>	3,061	1760
<u>Intel Core i3-10100Y @ 1.30GHz</u>	3,060	1762
<u>Intel Core i7-5650U @ 2.20GHz</u>	3,056	1763
<u>AMD Phenom II X6 1045T</u>	3,050	1764
<u>Intel Pentium Silver J5005 @ 1.50GHz</u>	3,050	1765
<u>Intel Core i7-4610M @ 3.00GHz</u>	3,045	1766
<u>AMD Ryzen 3 3250C</u>	3,044	1767
<u>AMD FX-4320</u>	3,043	1768
<u>Intel Core i3-6100H @ 2.70GHz</u>	3,041	1769
<u>Intel Xeon W3530 @ 2.80GHz</u>	3,040	1770
<u>Intel Core i5-5257U @ 2.70GHz</u>	3,036	1771
<u>Snapdragon 845 @ 2.8 GHz</u>	3,034	1772
<u>Snapdragon 7c @ 2.40 GHz</u>	3,033	1773
<u>Intel Core i5-4300M @ 2.60GHz</u>	3,031	1775
<u>Intel Xeon W3540 @ 2.93GHz</u>	3,031	1774
<u>AMD Athlon Silver 3050U</u>	3,026	1776
<u>Intel Core i7-4578U @ 3.00GHz</u>	3,023	1777

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD PRO A12-8870E</u>	2,957	1797
<u>Unisoc ums9230T</u>	2,955	1798
<u>AMD A10-5800K APU</u>	2,953	1799
<u>Intel Pentium G4520 @ 3.60GHz</u>	2,952	1800
<u>Intel Core i7-4560U @ 1.60GHz</u>	2,950	1801
<u>AMD Athlon Silver 3050e</u>	2,949	1803
<u>Intel Core i5-3470T @ 2.90GHz</u>	2,949	1802
<u>Samsung Exynos 8895</u>	2,948	1804
<u>AMD A10-9700E</u>	2,947	1805
<u>Intel Core m3-8100Y @ 1.10GHz</u>	2,947	1806
<u>Unisoc ums9230H</u>	2,947	1807
<u>AMD A10-6800B APU</u>	2,944	1808
<u>Qualcomm Technologies, Inc SM4350</u>	2,943	1809
<u>Intel Core i5-2500T @ 2.30GHz</u>	2,942	1810
<u>AMD Opteron 2431</u>	2,936	1812
<u>Hisilicon Kirin 955</u>	2,936	1811
<u>Intel Core i5-3380M @ 2.90GHz</u>	2,935	1813

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i5-4210M @ 2.60GHz</u>	2,879	1833
<u>Intel Core i7-930 @ 2.80GHz</u>	2,876	1834
<u>AMD A10-5800B APU</u>	2,875	1835
<u>Intel Xeon E5-2403 v2 @ 1.80GHz</u>	2,873	1836
<u>AMD Opteron 4184</u>	2,872	1837
<u>AMD A8-6500B APU</u>	2,870	1838
<u>Intel Core i7-3520M @ 2.90GHz</u>	2,862	1839
<u>AMD FX-7600P APU</u>	2,856	1840
<u>AMD A8 PRO-7600B APU</u>	2,852	1841
<u>Intel Xeon X3460 @ 2.80GHz</u>	2,850	1842
<u>Intel Core i5-3360M @ 2.80GHz</u>	2,849	1843
<u>Intel Core i5-4278U @ 2.60GHz</u>	2,841	1844
<u>AMD Phenom II X4 980</u>	2,839	1845
<u>Intel Celeron G5905 @ 3.50GHz</u>	2,830	1846
<u>AMD A8-6500 APU</u>	2,827	1847
<u>AMD Opteron 6128</u>	2,826	1848
<u>AMD Opteron 3350 HE</u>	2,825	1849

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5-2603 v2 @ 1.80GHz</u>	2,751	1869
<u>Intel Atom C2750 @ 2.40GHz</u>	2,748	1870
<u>Intel Core i7-5500U @ 2.40GHz</u>	2,746	1871
<u>AMD A10-5700 APU</u>	2,745	1873
<u>Intel Core i5-5300U @ 2.30GHz</u>	2,745	1874
<u>T618</u>	2,745	1872
<u>vendor Kirin710</u>	2,745	1875
<u>Intel Core i5-7Y54 @ 1.20GHz</u>	2,744	1876
<u>AMD PRO A12-9800B</u>	2,741	1877
<u>Intel Xeon E5540 @ 2.53GHz</u>	2,738	1878
<u>Intel Pentium G4500 @ 3.50GHz</u>	2,737	1879
<u>Qualcomm Technologies, Inc SM6150</u>	2,737	1880
<u>Unisoc T610</u>	2,732	1881
<u>AMD RX-427BB</u>	2,729	1882
<u>Intel Xeon E5-2407 @ 2.20GHz</u>	2,729	1883
<u>Intel Xeon X3440 @ 2.53GHz</u>	2,727	1884
<u>AMD RX-425BB</u>	2,724	1885

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Celeron G5900 @ 3.40GHz</u>	2,672	1905
<u>Intel Core i5-3340M @ 2.70GHz</u>	2,670	1906
<u>Intel Celeron 7305</u>	2,665	1907
<u>Intel Core2 Extreme X9770 @ 3.20GHz</u>	2,658	1908
<u>Hisilicon Kirin970</u>	2,656	1909
<u>Intel Core i3-3250T @ 3.00GHz</u>	2,650	1910
<u>Snapdragon 850 @ 2.96 GHz</u>	2,649	1911
<u>MT6769H</u>	2,645	1912
<u>AMD A8-5500B APU</u>	2,644	1913
<u>AMD Phenom II X4 970</u>	2,644	1914
<u>Intel Pentium Silver N5030 @ 1.10GHz</u>	2,644	1915
<u>Intel Core i5-3320M @ 2.60GHz</u>	2,639	1916
<u>Intel Xeon X5482 @ 3.20GHz</u>	2,636	1917
<u>Intel Core i5-5350U @ 1.80GHz</u>	2,634	1918
<u>AMD FX-4130 Quad-Core</u>	2,632	1919
<u>MT8788</u>	2,627	1920
<u>Intel Core i5-4288U @ 2.60GHz</u>	2,624	1921

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Phenom II X4 975</u>	2,581	1941
<u>AMD PRO A12-8800B</u>	2,580	1943
<u>Intel Core i5-680 @ 3.60GHz</u>	2,580	1942
<u>AMD Phenom II X4 965</u>	2,577	1944
<u>Intel Core i7-4510U @ 2.00GHz</u>	2,576	1945
<u>Intel Pentium Silver N5000 @ 1.10GHz</u>	2,573	1946
<u>Intel Celeron G4930 @ 3.20GHz</u>	2,571	1947
<u>AMD Athlon II X4 557</u>	2,567	1948
<u>AMD A8-5500 APU</u>	2,565	1950
<u>AMD FX-4100 Quad-Core</u>	2,565	1949
<u>Intel Core i3-7020U @ 2.30GHz</u>	2,564	1951
<u>MediaTek MT6771V/CT</u>	2,564	1952
<u>Qualcomm Technologies, Inc SDM710</u>	2,560	1953
<u>MediaTek MT6779V/CU</u>	2,556	1954
<u>AMD Phenom II X4 B60</u>	2,546	1955
<u>AMD A10-9620P</u>	2,539	1956
<u>Unisoc ums512</u>	2,539	1957

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5450 @ 3.00GHz</u>	2,485	1977
<u>Intel Celeron G5920 @ 3.50GHz</u>	2,482	1978
<u>Intel Core i3-4100M @ 2.50GHz</u>	2,482	1979
<u>AMD Opteron 8439 SE</u>	2,479	1980
<u>AMD Phenom II X4 B55</u>	2,477	1981
<u>MediaTek MT6771V/C</u>	2,471	1982
<u>Intel Core i5-3210M @ 2.50GHz</u>	2,470	1983
<u>Qualcomm Technologies, Inc SM6225</u>	2,468	1984
<u>T610-Unisoc</u>	2,467	1985
<u>Intel Core i7-4500U @ 1.80GHz</u>	2,466	1986
<u>Intel Xeon D-1602 @ 2.50GHz</u>	2,459	1987
<u>Intel Celeron G4900 @ 3.10GHz</u>	2,455	1988
<u>AMD Phenom II X4 955</u>	2,452	1990
<u>Intel Xeon E3-1220L V2 @ 2.30GHz</u>	2,452	1989
<u>AMD 3020e</u>	2,451	1991
<u>Intel Core i5-661 @ 3.33GHz</u>	2,449	1993
<u>Unisoc T700</u>	2,449	1992



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i7-2620M @ 2.70GHz</u>	2,414	2013
<u>Snapdragon 662</u>	2,414	2014
<u>AMD A12-9700P</u>	2,412	2015
<u>Intel Celeron G4920 @ 3.20GHz</u>	2,406	2016
<u>Intel Atom C3558 @ 2.20GHz</u>	2,405	2017
<u>HiSilicon Kirin 960</u>	2,401	2018
<u>Intel Core i3-3250 @ 3.50GHz</u>	2,401	2019
<u>Hisilicon Kirin710</u>	2,395	2020
<u>AMD PRO A10-8730B</u>	2,394	2021
<u>Intel Core i7-4650U @ 1.70GHz</u>	2,392	2022
<u>AMD PRO A8-9600B</u>	2,387	2023
<u>MediaTek MT6769Z</u>	2,384	2024
<u>AMD Opteron 4170 HE</u>	2,382	2025
<u>Intel Core i7-3667U @ 2.00GHz</u>	2,378	2027
<u>Intel Pentium G4500T @ 3.00GHz</u>	2,378	2026
<u>AMD Phenom II X4 977</u>	2,377	2028
<u>Intel Core i5-2390T @ 2.70GHz</u>	2,375	2030

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Qualcomm Technologies, Inc TRINKET</u>	2,341	2049
<u>MediaTek MT6771V/W</u>	2,340	2050
<u>AMD Athlon II X4 651 Quad-Core</u>	2,338	2051
<u>Intel Core i5-4260U @ 1.40GHz</u>	2,337	2052
<u>Intel Core m7-6Y75 @ 1.20GHz</u>	2,336	2053
<u>MediaTek MT6769V/CB</u>	2,333	2054
<u>Intel Xeon X5365 @ 3.00GHz</u>	2,331	2055
<u>Intel Pentium G4400T @ 2.90GHz</u>	2,330	2056
<u>Intel Xeon E5606 @ 2.13GHz</u>	2,326	2057
<u>Intel Core i7-3517UE @ 1.70GHz</u>	2,320	2058
<u>Qualcomm Technologies, Inc SDM665</u>	2,316	2059
<u>MediaTek MT6771V/WT</u>	2,315	2060
<u>AMD A10-6700T APU</u>	2,311	2061
<u>AMD A8-3870K APU</u>	2,310	2063
<u>Intel Celeron G3920 @ 2.90GHz</u>	2,310	2062
<u>Intel Xeon X3380 @ 3.16GHz</u>	2,308	2064
<u>AMD A8-3850 APU</u>	2,307	2065

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E5472 @ 3.00GHz</u>	2,286	2085
<u>Intel Celeron G4930T @ 3.00GHz</u>	2,284	2086
<u>Intel Pentium 1403 v2 @ 2.60GHz</u>	2,284	2087
<u>AMD Opteron 3260 HE</u>	2,283	2088
<u>Intel Pentium 4417U @ 2.30GHz</u>	2,281	2089
<u>AMD PRO A10-8700B</u>	2,280	2091
<u>Intel Xeon E5-2403 @ 1.80GHz</u>	2,280	2090
<u>AMD Phenom II X4 840T</u>	2,279	2092
<u>AMD Phenom II X4 940</u>	2,278	2093
<u>Intel Celeron G4900T @ 2.90GHz</u>	2,277	2094
<u>Intel Core i7-3537U @ 2.00GHz</u>	2,276	2095
<u>Intel Xeon L5520 @ 2.27GHz</u>	2,274	2096
<u>Intel Core i7-4550U @ 1.50GHz</u>	2,272	2097
<u>Intel Core i3-6006U @ 2.00GHz</u>	2,271	2098
<u>Unisoc T618</u>	2,266	2099
<u>AMD A10-9600P</u>	2,264	2101
<u>Intel Pentium 5405U @ 2.30GHz</u>	2,264	2100

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Phenom II X4 B45</u>	2,233	2121
<u>Intel Core i3-3220 @ 3.30GHz</u>	2,233	2120
<u>Intel Xeon X3353 @ 2.66GHz</u>	2,229	2123
<u>MT6769V</u>	2,229	2124
<u>MT6969T</u>	2,228	2125
<u>Intel Core i3-5020U @ 2.20GHz</u>	2,225	2126
<u>Intel Core i5-650 @ 3.20GHz</u>	2,223	2127
<u>Intel Celeron G3930TE @ 2.70GHz</u>	2,218	2128
<u>Intel Xeon X5472 @ 3.00GHz</u>	2,218	2129
<u>Intel Core2 Quad Q9500 @ 2.83GHz</u>	2,212	2130
<u>Intel Xeon E5430 @ 2.66GHz</u>	2,210	2131
<u>AMD Athlon II X4 640</u>	2,208	2132
<u>Intel Core i5-3427U @ 1.80GHz</u>	2,206	2133
<u>AMD Phenom II X4 973</u>	2,204	2134
<u>Intel Core i5-4250U @ 1.30GHz</u>	2,201	2135
<u>Intel Core M-5Y51 @ 1.10GHz</u>	2,198	2136
<u>AMD Phenom II X4 925</u>	2,196	2137

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Pentium N4200 @ 1.10GHz</u>	2,150	2157
<u>AMD Athlon II X4 635</u>	2,148	2159
<u>Intel Core m3-6Y30 @ 0.90GHz</u>	2,148	2158
<u>Intel Core2 Extreme Q6800 @ 2.93GHz</u>	2,145	2160
<u>Intel Pentium G3450 @ 3.40GHz</u>	2,142	2161
<u>Intel Xeon E3-1220L @ 2.20GHz</u>	2,138	2162
<u>Intel Core i3-3210 @ 3.20GHz</u>	2,134	2163
<u>Intel Core i5-2560M @ 2.70GHz</u>	2,131	2164
<u>MediaTek MT6763V/CE</u>	2,130	2165
<u>Intel Pentium G3440 @ 3.30GHz</u>	2,129	2166
<u>Qualcomm Technologies, Inc SM6125</u>	2,128	2167
<u>Intel Core i3-4330TE @ 2.40GHz</u>	2,127	2168
<u>Intel Pentium G3430 @ 3.30GHz</u>	2,127	2169
<u>AMD A10-7400P</u>	2,126	2170
<u>Intel Core2 Quad Q9450 @ 2.66GHz</u>	2,122	2171
<u>AMD Athlon X4 640</u>	2,115	2172
<u>Hardkernel ODROID-N2Plus</u>	2,115	2173

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core2 Quad Q9400 @ 2.66GHz</u>	2,079	2192
<u>AMD Athlon II X4 655</u>	2,078	2194
<u>Intel Core M-5Y31 @ 0.90GHz</u>	2,077	2195
<u>Qualcomm Technologies, Inc BENGAL-IOT</u>	2,075	2196
<u>AMD Opteron 2384</u>	2,074	2197
<u>Intel Core2 Quad Q6700 @ 2.66GHz</u>	2,074	2198
<u>Qualcomm Technologies, Inc SDM636</u>	2,071	2199
<u>AMD A6-3670 APU</u>	2,070	2200
<u>AMD Phenom II X4 820</u>	2,070	2201
<u>Intel Pentium G3258 @ 3.20GHz</u>	2,068	2202
<u>Intel Xeon E5462 @ 2.80GHz</u>	2,067	2203
<u>Intel Xeon X3330 @ 2.66GHz</u>	2,067	2204
<u>Intel Xeon L5420 @ 2.50GHz</u>	2,064	2205
<u>Intel Celeron 6305 @ 1.80GHz</u>	2,062	2206
<u>AMD Opteron 3250 HE</u>	2,061	2207
<u>AMD Opteron 4162 EE</u>	2,058	2208
<u>Intel Core i5-2450M @ 2.50GHz</u>	2,057	2209

CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u>Intel Pentium G3450T @ 2.90GHz</u>	2,016	2229
<u>Intel Core i7-620M @ 2.67GHz</u>	2,015	2230
<u>Intel Core i5-2430M @ 2.40GHz</u>	2,012	2231
<u>Intel Core2 Extreme Q9200 @ 2.40GHz</u>	2,011	2232
<u>Intel Core i3-3240T @ 2.90GHz</u>	2,007	2233
<u>Intel Core i3-2130 @ 3.40GHz</u>	2,006	2234
<u>AMD A6-3650 APU</u>	2,005	2235
<u>ARM Phytium,D2000/8 E8C 8 Core 2300 MHz</u>	2,005	2236
<u>Intel Core i7-2655LE @ 2.20GHz</u>	1,999	2237
<u>AMD Opteron 2427</u>	1,995	2238
<u>Intel Core i7-2677M @ 1.80GHz</u>	1,993	2239
<u>HiSilicon Kirin 950</u>	1,991	2242
<u>Intel Core i5-3317U @ 1.70GHz</u>	1,991	2240
<u>Intel Xeon E5420 @ 2.50GHz</u>	1,991	2241
<u>AMD Athlon X4 750 Quad Core</u>	1,986	2244
<u>Intel Xeon X3320 @ 2.50GHz</u>	1,986	2243
<u>Intel Core i3-4025U @ 1.90GHz</u>	1,979	2247

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Athlon II X4 620</u>	1,947	2266
<u>Intel Core i7-840QM @ 1.87GHz</u>	1,947	2265
<u>AMD Phenom 9850B Quad-Core</u>	1,946	2269
<u>Intel Core i5-580M @ 2.67GHz</u>	1,946	2267
<u>Intel Xeon E5506 @ 2.13GHz</u>	1,946	2268
<u>Qualcomm Technologies, Inc SDM632</u>	1,940	2270
<u>AMD Phenom II X4 810</u>	1,938	2272
<u>Intel Core i3-2120 @ 3.30GHz</u>	1,938	2271
<u>Intel Core i3-5015U @ 2.10GHz</u>	1,937	2273
<u>Intel Xeon X3220 @ 2.40GHz</u>	1,937	2274
<u>AMD Athlon X4 730</u>	1,936	2275
<u>Intel Xeon X6550 @ 2.00GHz</u>	1,936	2276
<u>Intel Xeon E5603 @ 1.60GHz</u>	1,935	2277
<u>Intel Pentium G3240 @ 3.10GHz</u>	1,934	2278
<u>Intel Core i3-3220T @ 2.80GHz</u>	1,933	2279
<u>AMD Phenom II X4 805</u>	1,931	2280
<u>Qualcomm Technologies, Inc APQ8053</u>	1,929	2281



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Opteron 1385</u>	1,898	2301
<u>AMD Phenom II X4 905e</u>	1,895	2302
<u>Intel Core i5-2510E @ 2.50GHz</u>	1,889	2303
<u>AMD PRO A6-8570</u>	1,887	2304
<u>AMD PRO A6-8550B</u>	1,885	2306
<u>Intel Core i5-560M @ 2.67GHz</u>	1,885	2305
<u>Intel Core i5-2515E @ 2.50GHz</u>	1,882	2308
<u>Intel Pentium G2120 @ 3.10GHz</u>	1,882	2307
<u>AMD A6-7480</u>	1,880	2310
<u>Intel Core i7-3555LE @ 2.50GHz</u>	1,880	2309
<u>Intel Core M-5Y10 @ 0.80GHz</u>	1,878	2312
<u>Intel Xeon E5410 @ 2.33GHz</u>	1,878	2311
<u>Intel Pentium G3220 @ 3.00GHz</u>	1,877	2313
<u>Intel Celeron 4305UE @ 2.00GHz</u>	1,876	2314
<u>MediaTek MT8768CT</u>	1,874	2315
<u>AMD Athlon II X4 610e</u>	1,871	2316
<u>AMD A6-9500</u>	1,870	2317

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>MT6757W</u>	1,845	2337
<u>AMD Phenom II X3 B77</u>	1,844	2338
<u>AMD A6-9500E</u>	1,841	2339
<u>UIS7862A</u>	1,839	2340
<u>Intel Xeon X3323 @ 2.50GHz</u>	1,837	2341
<u>Intel Core2 Quad Q8300 @ 2.50GHz</u>	1,836	2342
<u>Intel Atom x6211E @ 1.30GHz</u>	1,833	2344
<u>Qualcomm Technologies, Inc SDM630</u>	1,833	2343
<u>Intel Core i3-2100 @ 3.10GHz</u>	1,830	2345
<u>AMD Phenom II X4 B15e</u>	1,825	2346
<u>Intel Core i3-3130M @ 2.60GHz</u>	1,824	2347
<u>Intel Core i3-2330E @ 2.20GHz</u>	1,823	2348
<u>MT6765V/WB</u>	1,822	2349
<u>AMD A8-7410 APU</u>	1,818	2350
<u>Intel Core i7-610E @ 2.53GHz</u>	1,818	2351
<u>Intel Core i5-4302Y @ 1.60GHz</u>	1,817	2352
<u>AMD A8-6500T APU</u>	1,816	2353

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Phenom X4 Quad-Core GP-9730</u>	1,784	2374
<u>Snapdragon 835</u>	1,784	2373
<u>AMD Athlon X3 455</u>	1,783	2375
<u>AMD Athlon X3 435</u>	1,781	2376
<u>MT6765</u>	1,778	2377
<u>AMD Phenom II X4 910</u>	1,776	2378
<u>AMD A8-6410 APU</u>	1,775	2379
<u>Intel Core i3-4000M @ 2.40GHz</u>	1,774	2380
<u>AMD R-464L APU</u>	1,773	2381
<u>ASUS Tinker Board 2/2S</u>	1,771	2382
<u>MT6757WD</u>	1,771	2383
<u>Intel Xeon L5408 @ 2.13GHz</u>	1,769	2384
<u>AMD Phenom II N830 3+1</u>	1,768	2385
<u>AMD Phenom 9600B Quad-Core</u>	1,764	2387
<u>Intel Core2 Quad Q9100 @ 2.26GHz</u>	1,764	2386
<u>Intel Celeron G1840 @ 2.80GHz</u>	1,762	2388
<u>AArch64 rev 4 (aarch64)</u>	1,761	2389

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD A10-7300 APU</u>	1,732	2409
<u>Intel Pentium 4425Y @ 1.70GHz</u>	1,731	2410
<u>MediaTek MT6797</u>	1,730	2411
<u>AMD Athlon II X3 440</u>	1,729	2413
<u>MediaTek MT6765V/CA</u>	1,729	2412
<u>Intel Celeron 3965U @ 2.20GHz</u>	1,728	2414
<u>MT6752</u>	1,728	2415
<u>Intel Core i5-520M @ 2.40GHz</u>	1,723	2416
<u>AMD Phenom X2 Dual-Core GE-6060</u>	1,722	2417
<u>Intel Core i3-4158U @ 2.00GHz</u>	1,718	2418
<u>Intel Pentium G2030 @ 3.00GHz</u>	1,715	2419
<u>AMD Athlon II X4 600e</u>	1,711	2420
<u>MT6765V/WA</u>	1,711	2421
<u>Intel Core i3-560 @ 3.33GHz</u>	1,709	2422
<u>Intel Celeron G1630 @ 2.80GHz</u>	1,707	2423
<u>AMD PRO A6-8500B</u>	1,704	2424
<u>AMD Opteron 1356</u>	1,703	2426

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Pentium G2020 @ 2.90GHz</u>	1,669	2445
<u>Intel Core i7-720QM @ 1.60GHz</u>	1,664	2446
<u>AMD PRO A6-9500E</u>	1,662	2447
<u>MediaTek MT6757CD</u>	1,657	2448
<u>AMD A4-6250J APU</u>	1,656	2449
<u>Intel Celeron G1820 @ 2.70GHz</u>	1,656	2450
<u>Intel Core i3-3120M @ 2.50GHz</u>	1,656	2451
<u>Intel Core i3-4030Y @ 1.60GHz</u>	1,654	2452
<u>MT6762</u>	1,652	2453
<u>AMD A6-5200 APU</u>	1,650	2454
<u>AMD Phenom X4 Quad-Core GP-9600</u>	1,649	2455
<u>AMD Phenom II N970 Quad-Core</u>	1,647	2456
<u>AMD A4 PRO-3340B</u>	1,645	2457
<u>AMD A8-4500M APU</u>	1,645	2458
<u>AMD A8-7100 APU</u>	1,644	2459
<u>Qualcomm Technologies, Inc APQ8096</u>	1,643	2460
<u>Intel Core i3-4005U @ 1.70GHz</u>	1,642	2461

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Samsung Exynos 7420</u>	1,612	2481
<u>Intel Celeron 2000E @ 2.20GHz</u>	1,607	2482
<u>Spreadtrum SC9863A Board</u>	1,607	2483
<u>AMD A6-8550</u>	1,604	2484
<u>MediaTek MT6797T</u>	1,602	2485
<u>Intel Celeron N4020C @ 1.10GHz</u>	1,600	2486
<u>AMD Phenom FX-5000 Quad-Core</u>	1,599	2488
<u>Intel Pentium G3220T @ 2.60GHz</u>	1,599	2487
<u>AMD Phenom 9550 Quad-Core</u>	1,597	2489
<u>Intel Core i3-550 @ 3.20GHz</u>	1,596	2490
<u>Qualcomm Technologies, Inc MSM8976</u>	1,593	2491
<u>Intel Celeron J4005 @ 2.00GHz</u>	1,592	2492
<u>Intel Core i5-4220Y @ 1.60GHz</u>	1,591	2493
<u>MediaTek MT8768WA</u>	1,591	2494
<u>Qualcomm MSM8953</u>	1,589	2495
<u>Qualcomm MSM8996PRO-AB</u>	1,589	2496
<u>AMD A6-7400K APU</u>	1,588	2497

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>MT6763V/B</u>	1,557	2516
<u>AMD Embedded G-Series GX-420GI Radeon R7E</u>	1,554	2518
<u>AMD PRO A4-8350B</u>	1,552	2520
<u>Intel Pentium 3560M @ 2.40GHz</u>	1,552	2519
<u>AMD Phenom II X3 710</u>	1,551	2521
<u>AMD A6-6420B APU</u>	1,550	2523
<u>MediaTek MT6757V</u>	1,550	2522
<u>Intel Xeon E5335 @ 2.00GHz</u>	1,549	2525
<u>ZHAOXIN KaiXian KX-6640MA@2.2+GHz</u>	1,549	2524
<u>Intel Core i5-4210Y @ 1.50GHz</u>	1,548	2526
<u>AMD Opteron 1352</u>	1,547	2528
<u>ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</u>	1,547	2527
<u>AMD Athlon II X3 425</u>	1,546	2529
<u>AMD A4 PRO-7350B</u>	1,544	2530
<u>AMD A4-6320 APU</u>	1,543	2531
<u>AMD A6-6420K APU</u>	1,539	2532
<u>AMD Phenom II X3 B73</u>	1,538	2533

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Opteron 2354</u>	1,509	2553
<u>MediaTek MT6763V/V</u>	1,509	2554
<u>MediaTek MT6762V/WD</u>	1,506	2555
<u>AMD Phenom II X4 900e</u>	1,505	2556
<u>AMD Athlon X2 370K Dual Core</u>	1,504	2557
<u>Intel Core i7-640LM @ 2.13GHz</u>	1,504	2558
<u>Intel Pentium G870 @ 3.10GHz</u>	1,503	2559
<u>AMD Phenom 9350e Quad-Core</u>	1,501	2560
<u>Intel Celeron 2970M @ 2.20GHz</u>	1,501	2561
<u>AMD PRO A6-8530B</u>	1,498	2562
<u>Intel Celeron G1610 @ 2.60GHz</u>	1,498	2563
<u>Qualcomm Technologies, Inc MSM8996pro</u>	1,498	2564
<u>Intel Celeron G1620 @ 2.70GHz</u>	1,497	2565
<u>MediaTek MT6765G</u>	1,495	2566
<u>AMD Phenom II X3 720</u>	1,494	2567
<u>AMD A4-7300 APU</u>	1,491	2568
<u>Intel Celeron 3955U @ 2.00GHz</u>	1,490	2569



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon X5272 @ 3.40GHz</u>	1,451	2588
<u>AMD A6-3430MX APU</u>	1,448	2591
<u>Intel Celeron 5205U @ 1.90GHz</u>	1,448	2592
<u>Intel Xeon E5240 @ 3.00GHz</u>	1,448	2590
<u>Intel Core i3-4020Y @ 1.50GHz</u>	1,447	2593
<u>Intel Pentium 4410Y @ 1.50GHz</u>	1,444	2594
<u>Intel Core i5-2467M @ 1.60GHz</u>	1,442	2595
<u>AMD Athlon II X3 415e</u>	1,441	2596
<u>MediaTek MT6762V/WA</u>	1,441	2597
<u>AMD A6-5400B APU</u>	1,439	2598
<u>AMD Athlon X3 440</u>	1,438	2599
<u>Qualcomm Technologies, Inc APQ8076</u>	1,438	2600
<u>Intel Core i7-620LM @ 2.00GHz</u>	1,435	2601
<u>AMD A4-6300 APU</u>	1,434	2603
<u>Intel Pentium G860 @ 3.00GHz</u>	1,434	2602
<u>AMD Phenom II X2 B59</u>	1,431	2604
<u>AMD A8-3500M APU</u>	1,430	2605

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon E3-1220L v3 @ 1.10GHz</u>	1,407	2625
<u>Intel Celeron 1020E @ 2.20GHz</u>	1,406	2626
<u>AMD Phenom II X2 565</u>	1,405	2627
<u>Qualcomm Technologies, Inc SDM439</u>	1,402	2628
<u>AMD A8-3520M APU</u>	1,401	2629
<u>Qualcomm Technologies, Inc MSM8956</u>	1,401	2630
<u>Intel Pentium 2030M @ 2.50GHz</u>	1,400	2631
<u>AMD Phenom 8600B Triple-Core</u>	1,390	2632
<u>MT6755V/WS</u>	1,389	2633
<u>AMD Athlon 5150 APU</u>	1,385	2635
<u>AMD E1-6050J APU</u>	1,385	2634
<u>Intel Xeon L5310 @ 1.60GHz</u>	1,385	2636
<u>Intel Pentium 2020M @ 2.40GHz</u>	1,383	2637
<u>Intel Pentium G6951 @ 2.80GHz</u>	1,383	2638
<u>Intel Pentium G850 @ 2.90GHz</u>	1,382	2639
<u>Unisoc T310</u>	1,382	2640
<u>MediaTek MT6762V/CB</u>	1,381	2641

CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u>VIA QuadCore C4650@2.0GHz</u>	1,352	2661
<u>Intel Pentium G645 @ 2.90GHz</u>	1,351	2662
<u>Intel Atom x7-Z8750 @ 1.60GHz</u>	1,349	2663
<u>Unisoc SC9863a</u>	1,347	2664
<u>AMD A4-5100 APU</u>	1,346	2665
<u>Intel Pentium G2020T @ 2.50GHz</u>	1,345	2666
<u>AMD Phenom 8750 Triple-Core</u>	1,343	2667
<u>AMD A6-9225</u>	1,342	2668
<u>Intel Xeon L3110 @ 3.00GHz</u>	1,338	2669
<u>Intel Xeon L5240 @ 3.00GHz</u>	1,337	2670
<u>Intel Celeron 4205U @ 1.80GHz</u>	1,335	2671
<u>AMD Athlon II X3 405e</u>	1,331	2672
<u>AMD A4-5050 APU</u>	1,328	2673
<u>AMD A4-6300B APU</u>	1,328	2674
<u>AMD Athlon X2 280</u>	1,327	2675
<u>Intel Core i5 750S @ 2.40GHz</u>	1,326	2676
<u>Intel Atom x7-Z8700 @ 1.60GHz</u>	1,325	2677

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Pentium G6960 @ 2.93GHz</u>	1,293	2697
<u>Intel Xeon X3210 @ 2.13GHz</u>	1,293	2698
<u>Hisilicon Kirin 935</u>	1,291	2699
<u>Intel Pentium A1020 @ 2.41GHz</u>	1,290	2701
<u>MT6795</u>	1,290	2700
<u>AMD A4-5000 APU</u>	1,287	2702
<u>AMD A6-9220</u>	1,286	2703
<u>AMD A6-3420M APU</u>	1,285	2704
<u>Intel Core i5-460M @ 2.53GHz</u>	1,284	2706
<u>Intel Core i7-660UM @ 1.33GHz</u>	1,284	2705
<u>AMD Phenom 8850B Triple-Core</u>	1,281	2707
<u>AMD A6-9230</u>	1,279	2708
<u>AMD Phenom 9100e Quad-Core</u>	1,279	2711
<u>AMD Phenom II X2 521</u>	1,279	2710
<u>Unisoc UIS8581E</u>	1,279	2709
<u>AMD Sempron 240</u>	1,278	2714
<u>Intel Celeron 2950M @ 2.00GHz</u>	1,278	2712

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i3-2348M @ 2.30GHz</u>	1,258	2733
<u>AMD Athlon II X2 B28</u>	1,257	2734
<u>AMD Phenom II N870 Triple-Core</u>	1,255	2735
<u>ARM Cortex-A72 4 Core 2394 MHz</u>	1,254	2736
<u>AMD Phenom II N850 Triple-Core</u>	1,253	2737
<u>Intel Celeron 3765U @ 1.90GHz</u>	1,252	2738
<u>Intel Atom C3338 @ 1.50GHz</u>	1,245	2739
<u>Intel Core2 Duo E8500 @ 3.16GHz</u>	1,244	2740
<u>Intel Pentium N3700 @ 1.60GHz</u>	1,242	2741
<u>Intel Xeon E3110 @ 3.00GHz</u>	1,242	2742
<u>Intel Pentium J2900 @ 2.41GHz</u>	1,241	2743
<u>AMD A4-5300B APU</u>	1,239	2744
<u>Intel Core i3-2350M @ 2.30GHz</u>	1,239	2745
<u>Intel Xeon X5260 @ 3.33GHz</u>	1,238	2746
<u>Intel Celeron 3855U @ 1.60GHz</u>	1,237	2747
<u>Intel Celeron J3160 @ 1.60GHz</u>	1,233	2748
<u>BCM2835</u>	1,231	2749

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD A4-9120</u>	1,208	2770
<u>Intel Celeron N3150 @ 1.60GHz</u>	1,208	2771
<u>Intel Pentium N3540 @ 2.16GHz</u>	1,208	2769
<u>AMD Phenom 8650 Triple-Core</u>	1,205	2772
<u>AMD Athlon II X2 B26</u>	1,203	2773
<u>Intel Pentium E6700 @ 3.20GHz</u>	1,202	2774
<u>Intel Core i3-2310M @ 2.10GHz</u>	1,201	2775
<u>AMD Opteron 2222</u>	1,198	2776
<u>Intel Atom Z3795 @ 1.60GHz</u>	1,197	2777
<u>Intel Core i3-3217U @ 1.80GHz</u>	1,197	2778
<u>ROC-RK3568-PC HDMI (Android)</u>	1,197	2779
<u>Intel Core i7-680UM @ 1.47GHz</u>	1,196	2780
<u>Intel Core i5-430M @ 2.27GHz</u>	1,195	2781
<u>Intel Pentium N3530 @ 2.16GHz</u>	1,191	2782
<u>AMD A6-3400M APU</u>	1,190	2784
<u>AMD Phenom II N830 Triple-Core</u>	1,190	2783
<u>ARM Cortex-A72 6 Core 1512 MHz</u>	1,190	2785

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Phenom II X2 550</u>	1,167	2805
<u>Intel Pentium G840 @ 2.80GHz</u>	1,167	2806
<u>AMD A4-4000 APU</u>	1,166	2807
<u>Intel Pentium E6800 @ 3.33GHz</u>	1,166	2808
<u>AMD Phenom II X640 Dual-Core</u>	1,165	2809
<u>Intel Pentium G645T @ 2.50GHz</u>	1,164	2810
<u>AMD Phenom II X2 511</u>	1,163	2811
<u>MT6757WH</u>	1,161	2812
<u>AMD Phenom II P920 Quad-Core</u>	1,160	2813
<u>ARM Cortex-A15 8 Core 1400 MHz</u>	1,160	2814
<u>MTK6757</u>	1,158	2815
<u>Intel Core2 Duo E8435 @ 3.06GHz</u>	1,157	2816
<u>Intel Core2 Extreme X9000 @ 2.80GHz</u>	1,157	2817
<u>AMD Athlon II X2 250e</u>	1,155	2819
<u>AMD QC-4000</u>	1,155	2818
<u>AMD Sempron 3850 APU</u>	1,153	2822
<u>ARM Cortex-A57 4 Core 2014 MHz</u>	1,153	2820

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core2 Duo P9700 @ 2.80GHz</u>	1,135	2841
<u>AMD Athlon II X2 245e</u>	1,131	2842
<u>Intel Celeron G540 @ 2.50GHz</u>	1,128	2843
<u>Intel Core2 Duo E7600 @ 3.06GHz</u>	1,127	2844
<u>Intel Core i3-370M @ 2.40GHz</u>	1,126	2845
<u>Intel Core2 Extreme X9100 @ 3.06GHz</u>	1,125	2846
<u>Intel Pentium E6500 @ 2.93GHz</u>	1,125	2847
<u>MediaTek MT6750T</u>	1,123	2848
<u>Qualcomm Technologies, Inc SCUBAPIIOT</u>	1,123	2849
<u>AMD A6-5345M APU</u>	1,122	2851
<u>Intel Celeron G530 @ 2.40GHz</u>	1,122	2850
<u>ARM Cortex-A72 4 Core 1900 MHz</u>	1,120	2852
<u>Intel Xeon L5320 @ 1.86GHz</u>	1,118	2853
<u>AMD A6-1450 APU</u>	1,117	2854
<u>Intel Pentium A1018 @ 2.10GHz</u>	1,117	2855
<u>AMD Phenom II P840 Triple-Core</u>	1,116	2856
<u>Intel Celeron G1820TE @ 2.20GHz</u>	1,115	2857



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core2 Extreme X7900 @ 2.80GHz</u>	1,093	2877
<u>Intel Celeron 2002E @ 1.50GHz</u>	1,091	2878
<u>Intel Core i7-640UM @ 1.20GHz</u>	1,090	2880
<u>MT6755V/WM</u>	1,090	2879
<u>AMD Opteron 1222</u>	1,089	2881
<u>Intel Pentium E6600 @ 3.06GHz</u>	1,089	2882
<u>Qualcomm MSM 8939 HUAWEI KIW-L21</u>	1,088	2883
<u>Intel Celeron G1101 @ 2.27GHz</u>	1,086	2884
<u>Qualcomm MSM 8939 HUAWEI TEXAS-A1</u>	1,085	2885
<u>AMD Phenom 8250e Triple-Core</u>	1,084	2886
<u>AMD Phenom 8400 Triple-Core</u>	1,079	2887
<u>Intel Celeron 1005M @ 1.90GHz</u>	1,078	2889
<u>Intel Core2 Duo P9600 @ 2.66GHz</u>	1,078	2888
<u>AMD A4-3400 APU</u>	1,077	2891
<u>MT8173</u>	1,077	2890
<u>ARM Cortex-A72 4 Core 2300 MHz</u>	1,075	2893
<u>Intel Core2 Duo E8200 @ 2.66GHz</u>	1,075	2892

CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u>Intel Atom E3845 @ 1.91GHz</u>	1,058	2914
<u>Rockchip RK3566 BOX DEMO V10 ANDROID Board</u>	1,058	2913
<u>Intel Celeron 2980U @ 1.60GHz</u>	1,056	2917
<u>Intel Celeron G530T @ 2.00GHz</u>	1,056	2916
<u>MT6592T</u>	1,056	2915
<u>AMD Athlon II X2 245</u>	1,051	2921
<u>Intel Core2 Duo E8300 @ 2.83GHz</u>	1,051	2918
<u>Intel Pentium E5700 @ 3.00GHz</u>	1,051	2920
<u>MediaTek MT6762V/CA</u>	1,051	2919
<u>Qualcomm Technologies, Inc MSM8937</u>	1,051	2922
<u>Intel Pentium B980 @ 2.40GHz</u>	1,048	2923
<u>AMD Embedded G-Series GX-215JJ Radeon R2E</u>	1,044	2924
<u>MT8168B</u>	1,042	2925
<u>Intel Celeron N2940 @ 1.83GHz</u>	1,040	2926
<u>Intel Core2 Duo P9600 @ 2.53GHz</u>	1,040	2927
<u>Intel Core2 Duo E8335 @ 2.93GHz</u>	1,039	2928
<u>MT8783</u>	1,039	2929

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Athlon X2 240e</u>	1,015	2949
<u>Intel Core i5-560UM @ 1.33GHz</u>	1,015	2950
<u>AMD Phenom II N620 Dual-Core</u>	1,014	2951
<u>MediaTek MT6750</u>	1,012	2952
<u>AMD Turion II Ultra Dual-Core Mobile M660</u>	1,011	2953
<u>Intel Pentium E6300 @ 2.80GHz</u>	1,011	2954
<u>AMD A6-7000</u>	1,010	2957
<u>AMD Phenom X2 Dual-Core GE-7060</u>	1,010	2956
<u>Intel Celeron N2930 @ 1.83GHz</u>	1,010	2955
<u>Intel Pentium 2117U @ 1.80GHz</u>	1,009	2958
<u>AMD A6-4400M APU</u>	1,008	2960
<u>Pentium Dual-Core T4500 @ 2.30GHz</u>	1,008	2959
<u>tn8</u>	1,006	2961
<u>AMD A4 Micro-6400T APU</u>	1,004	2963
<u>Intel Core i3-3229Y @ 1.40GHz</u>	1,004	2964
<u>Intel Core2 Duo E6750 @ 2.66GHz</u>	1,004	2962
<u>Intel Core i3-330M @ 2.13GHz</u>	1,003	2967

CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u>AMD A6-9220e</u>	979	2987
<u>AMD Opteron 1218 HE</u>	979	2986
<u>MT8768WD</u>	979	2985
<u>AMD Phenom X3 8550</u>	976	2989
<u>Intel Core i3-2340UE @ 1.30GHz</u>	976	2988
<u>Intel Core2 Duo T7800 @ 2.60GHz</u>	976	2990
<u>Intel Core2 Duo E8135 @ 2.40GHz</u>	973	2991
<u>AMD Athlon 64 FX-74</u>	972	2992
<u>Intel Celeron 1037U @ 1.80GHz</u>	969	2993
<u>AMD Athlon II X2 240</u>	968	2994
<u>Intel Core2 Duo E7200 @ 2.53GHz</u>	968	2995
<u>Intel Core2 Duo P8700 @ 2.53GHz</u>	968	2997
<u>MT6795M</u>	968	2996
<u>AMD Athlon 64 X2 Dual Core 6400+</u>	967	2998
<u>AMD Phenom II N640 Dual-Core</u>	965	2999
<u>Intel Core i7-620UM @ 1.07GHz</u>	964	3000
<u>Intel Core2 Duo E7300 @ 2.66GHz</u>	964	3001

CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u>Intel Core2 Duo T9400 @ 2.53GHz</u>	942	3020
<u>Intel Pentium E5400 @ 2.70GHz</u>	941	3022
<u>Intel Xeon 3060 @ 2.40GHz</u>	939	3023
<u>MediaTek MT8166B</u>	939	3024
<u>AMD Athlon X2 255</u>	938	3026
<u>Qualcomm Technologies, Inc SDM429</u>	938	3025
<u>Intel Celeron E3500 @ 2.70GHz</u>	935	3027
<u>MT8766A</u>	935	3028
<u>Samsung Exynos 7870</u>	934	3029
<u>AMD Phenom II P650 Dual-Core</u>	933	3031
<u>Intel Celeron 3205U @ 1.50GHz</u>	933	3030
<u>Qualcomm Technologies, Inc MSM8994</u>	932	3032
<u>AMD Sempron X2 198 Dual-Core</u>	930	3034
<u>Intel Celeron B840 @ 1.90GHz</u>	930	3035
<u>Samsung J7 Max LTE SWA board based on MT6757V/WL</u>	930	3033
<u>Intel Xeon L3406 @ 2.27GHz</u>	928	3036
<u>AMD Athlon 64 X2 Dual Core 6000+</u>	927	3037

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core2 Duo L9600 @ 2.13GHz</u>	900	3058
<u>MT8165</u>	900	3057
<u>AMD Athlon II N370 Dual-Core</u>	899	3059
<u>Intel Core i3-2375M @ 1.50GHz</u>	896	3062
<u>Intel Pentium E5300 @ 2.60GHz</u>	896	3061
<u>Intel Pentium G620T @ 2.20GHz</u>	896	3060
<u>UGOOS UT8 Board</u>	894	3063
<u>Unisoc ums312</u>	891	3064
<u>MT8365</u>	889	3065
<u>Rockchip RK3566 EVB2 LP4X V10 Board</u>	889	3066
<u>Intel Xeon 5133 @ 2.20GHz</u>	887	3067
<u>Intel Core2 Duo T8300 @ 2.40GHz</u>	886	3068
<u>AMD Phenom X2 Dual-Core GP-7730</u>	884	3069
<u>ARM FT-2000/4 4 Core 2200 MHz</u>	881	3070
<u>AMD Sempron X2 190</u>	879	3072
<u>Intel Celeron 1017U @ 1.60GHz</u>	879	3071
<u>Intel Atom x5-E3930 @ 1.30GHz</u>	878	3075

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Xeon 5140 @ 2.33GHz</u>	857	3094
<u>MT8161AA</u>	857	3093
<u>AMD Athlon X2 250</u>	855	3096
<u>AMD Turion II N530 Dual-Core</u>	855	3095
<u>AMD A4-9120e</u>	854	3097
<u>Qualcomm Technologies, Inc MSM8952</u>	854	3098
<u>Intel Celeron 2955U @ 1.40GHz</u>	853	3099
<u>Intel Core2 Duo T7700 @ 2.40GHz</u>	852	3100
<u>SAMSUNG Exynos7580</u>	851	3101
<u>Athlon 64 Dual Core 5000+</u>	850	3102
<u>Intel Pentium 3560Y @ 1.20GHz</u>	849	3103
<u>Intel Core2 Duo P8600 @ 2.40GHz</u>	847	3105
<u>Intel Pentium B940 @ 2.00GHz</u>	847	3104
<u>MT6761V/CBB</u>	846	3106
<u>Intel Celeron 2957U @ 1.40GHz</u>	845	3107
<u>MT6750V/W</u>	845	3109
<u>MT9950</u>	845	3108

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Sempron X2 180</u>	826	3129
<u>AMD Turion II Neo N54L Dual-Core</u>	825	3130
<u>Intel Core i3-2365M @ 1.40GHz</u>	825	3131
<u>Intel Core2 Duo T7500 @ 2.20GHz</u>	825	3132
<u>Intel Core i5-520UM @ 1.07GHz</u>	824	3133
<u>AMD Athlon Dual Core 5200B</u>	823	3134
<u>Intel Core2 Extreme X6800 @ 2.93GHz</u>	823	3135
<u>Intel Celeron E3300 @ 2.50GHz</u>	822	3136
<u>AMD A4-9120C</u>	819	3139
<u>ARM Cortex-A72 4 Core 2200 MHz</u>	819	3137
<u>DO-Regular</u>	819	3138
<u>AMD A4-4355M APU</u>	818	3141
<u>AMD Turion II P560 Dual-Core</u>	818	3140
<u>Intel Celeron P4500 @ 1.87GHz</u>	816	3142
<u>AMD Turion II Ultra Dual-Core Mobile M620</u>	814	3143
<u>Intel Atom x5-Z8330 @ 1.44GHz</u>	813	3144
<u>Intel Celeron 1007U @ 1.50GHz</u>	811	3145



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Atom Z3775D @ 1.49GHz</u>	794	3166
<u>Intel Celeron B820 @ 1.70GHz</u>	794	3165
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-84</u>	793	3168
<u>Intel Celeron E3200 @ 2.40GHz</u>	793	3167
<u>Intel Core2 Duo P7370 @ 2.00GHz</u>	790	3170
<u>Intel Xeon 3040 @ 1.86GHz</u>	790	3169
<u>AMD Athlon 7450 Dual-Core</u>	789	3172
<u>Intel Pentium 997 @ 1.60GHz</u>	789	3171
<u>Intel Pentium P6000 @ 1.87GHz</u>	787	3173
<u>Intel Core2 Duo P7450 @ 2.13GHz</u>	784	3175
<u>MT6761V/CD</u>	784	3174
<u>AMD Athlon Dual Core 4850e</u>	783	3176
<u>Qualcomm Technologies, Inc MSM8992</u>	782	3177
<u>AMD Opteron 1216</u>	781	3178
<u>ARM Cortex-A72 4 Core 1800 MHz</u>	780	3179
<u>AMD GX-217GA SOC</u>	775	3182
<u>Intel Celeron B810 @ 1.60GHz</u>	775	3183

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core i5-470UM @ 1.33GHz</u>	762	3201
<u>Intel Atom Z3735D @ 1.33GHz</u>	761	3203
<u>rockchip,rk3328</u>	761	3202
<u>MT8766B</u>	760	3204
<u>MT6797D</u>	758	3205
<u>AMD Turion 64 X2 Mobile TL-62</u>	756	3206
<u>AMD GX-218GL SOC</u>	754	3207
<u>Intel Core2 Duo E6400 @ 2.13GHz</u>	753	3208
<u>AMD A4-3330MX APU</u>	752	3209
<u>Rockchip RK3566 EVB1 DDR4 V10 Board</u>	751	3210
<u>Intel Pentium T4400 @ 2.20GHz</u>	750	3212
<u>MT6761V/CAB</u>	750	3211
<u>Dual-Core AMD Opteron 1220 SE</u>	748	3214
<u>Intel Celeron 1047UE @ 1.40GHz</u>	748	3213
<u>Intel Core2 Duo P7350 @ 2.00GHz</u>	748	3215
<u>Celeron Dual-Core T3500 @ 2.10GHz</u>	747	3216
<u>AMD Opteron 180</u>	746	3217

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Opteron 1216 HE</u>	727	3238
<u>Intel Core2 Duo T7200 @ 2.00GHz</u>	727	3236
<u>AMD E2-3000 APU</u>	726	3240
<u>Intel Core2 Duo T6500 @ 2.10GHz</u>	726	3239
<u>Intel Pentium E2200 @ 2.20GHz</u>	725	3241
<u>Intel Celeron B815 @ 1.60GHz</u>	720	3242
<u>AMD Athlon Dual Core 4450B</u>	719	3245
<u>AMD Athlon II Dual-Core M320</u>	719	3244
<u>ARM Cortex-A55 4 Core 2100 MHz</u>	719	3243
<u>AMD A4-3305M APU</u>	718	3247
<u>AMD Athlon 64 X2 Dual Core 4600+</u>	718	3246
<u>ARM Cortex-A55 4 Core 1992 MHz</u>	718	3248
<u>Intel Atom Z3560 @ 1.00GHz</u>	717	3249
<u>AMD Turion II Dual-Core Mobile M500</u>	716	3250
<u>Intel Pentium T4200 @ 2.00GHz</u>	714	3251
<u>Intel Celeron E1600 @ 2.40GHz</u>	712	3252
<u>AMD Athlon II P360 Dual-Core</u>	711	3253

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Turion 64 X2 Mobile TL-66</u>	696	3273
<u>AMD Opteron 185</u>	695	3274
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-86</u>	695	3275
<u>Intel Core2 Duo T7250 @ 2.00GHz</u>	694	3276
<u>Intel Core2 Duo E6320 @ 1.86GHz</u>	693	3277
<u>MediaTek MT6761V/WE</u>	693	3278
<u>MT6738</u>	692	3279
<u>AMD Turion X2 Dual Core Mobile RM-76</u>	691	3280
<u>Intel Atom Z3560 @ 1.83GHz</u>	690	3281
<u>Intel Core2 Duo T5750 @ 2.00GHz</u>	690	3282
<u>AMD Turion X2 Ultra Dual-Core Mobile ZM-87</u>	689	3284
<u>Intel Celeron P4505 @ 1.87GHz</u>	689	3283
<u>AMD Athlon X2 Dual Core BE-2400</u>	688	3286
<u>Intel Core2 Duo T7300 @ 2.00GHz</u>	688	3285
<u>Intel Core2 Duo T5850 @ 2.16GHz</u>	687	3287
<u>AMD Athlon II P320 Dual-Core</u>	684	3288
<u>AMD Turion II Neo K685 Dual-Core</u>	684	3289

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core2 Duo L9300 @ 1.60GHz</u>	666	3309
<u>VIA QuadCore U4650 @ 1.0+ GHz</u>	666	3310
<u>AMD Athlon II N330 Dual-Core</u>	665	3311
<u>ARM Cortex-A72 4 Core 1500 MHz</u>	665	3312
<u>Celeron Dual-Core T3000 @ 1.80GHz</u>	665	3313
<u>AMD Athlon II X2 260u</u>	663	3315
<u>Intel Celeron N3060 @ 1.60GHz</u>	663	3314
<u>ARM Cortex-A17 4 Core 1800 MHz</u>	662	3316
<u>AMD Turion Dual-Core RM-75</u>	659	3317
<u>ARM Cortex-A55 4 Core 1800 MHz</u>	658	3319
<u>Intel Celeron B800 @ 1.50GHz</u>	658	3318
<u>AMD Athlon 64 X2 Dual Core 4000+</u>	656	3320
<u>AMD Athlon II Dual-Core M300</u>	653	3321
<u>AMD Athlon 64 X2 Dual Core 4800+</u>	652	3323
<u>Intel Core2 Duo T5900 @ 2.20GHz</u>	652	3322
<u>Intel Core2 Duo E4400 @ 2.00GHz</u>	650	3324
<u>AMD Turion Dual-Core RM-72</u>	649	3325

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Qualcomm APQ 8084 (Flattened Device Tree)</u>	628	3345
<u>Intel Pentium T3200 @ 2.00GHz</u>	627	3346
<u>Intel Celeron E1500 @ 2.20GHz</u>	626	3348
<u>Intel Pentium 967 @ 1.30GHz</u>	626	3347
<u>Qualcomm MSM8974PRO-AB</u>	625	3349
<u>AMD Turion X2 Dual-Core Mobile RM-70</u>	624	3350
<u>Intel Pentium U5600 @ 1.33GHz</u>	624	3351
<u>AMD Turion X2 Dual-Core Mobile RM-74</u>	623	3352
<u>Celeron Dual-Core T3300 @ 2.00GHz</u>	623	3354
<u>Rockchip (Device Tree)</u>	623	3353
<u>AMD Athlon 64 X2 Dual Core 3800+</u>	622	3357
<u>AMD Athlon 64 X2 QL-64</u>	622	3355
<u>Intel Pentium 957 @ 1.20GHz</u>	622	3356
<u>Intel Atom Z3745 @ 1.33GHz</u>	621	3358
<u>AMD Athlon 64 X2 Dual-Core TK-57</u>	620	3359
<u>MT6795MM</u>	618	3360
<u>AMD Athlon Dual Core 4050e</u>	616	3361

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD E1-2500 APU</u>	595	3382
<u>Intel Celeron J1750 @ 2.41GHz</u>	595	3381
<u>AMD Athlon 64 X2 Dual Core BE-2300</u>	594	3384
<u>Intel Celeron N3050 @ 1.60GHz</u>	594	3383
<u>AMD Opteron 1212</u>	593	3385
<u>AMD Athlon II X2 250u</u>	592	3386
<u>AMD Athlon X2 Dual Core BE-2350</u>	591	3387
<u>AMD Turion II Neo N40L Dual-Core</u>	589	3389
<u>Intel Core2 Duo L7500 @ 1.60GHz</u>	589	3388
<u>AMD Turion Dual-Core RM-74</u>	588	3390
<u>Intel Core2 Duo T5670 @ 1.80GHz</u>	587	3392
<u>Qualcomm MSM8917</u>	587	3391
<u>Qualcomm MSM8974PRO-AA</u>	587	3393
<u>Intel Core2 Duo E6300 @ 1.86GHz</u>	586	3394
<u>Intel Atom C2338 @ 1.74GHz</u>	584	3397
<u>Intel Celeron 847E @ 1.10GHz</u>	584	3396
<u>Intel Core2 Duo U9600 @ 1.60GHz</u>	584	3395

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</u>	566	3416
<u>AMD Turion II Neo K625 Dual-Core</u>	565	3419
<u>Intel Atom Z3530 @ 1.33GHz</u>	565	3418
<u>AMD Athlon X2 Dual Core 6850e</u>	564	3420
<u>AMD Sempron Dual Core 2200</u>	563	3421
<u>ARM Cortex-A53 4 Core 1704 MHz</u>	562	3422
<u>Intel Celeron 867 @ 1.30GHz</u>	562	3423
<u>AMD Sempron 2650 APU</u>	561	3426
<u>AMD Turion Dual-Core RM-70</u>	561	3424
<u>Intel Celeron N3010 @ 1.04GHz</u>	561	3427
<u>Rockchip RK3328 box liantong_avb</u>	561	3425
<u>Intel Celeron U3600 @ 1.20GHz</u>	560	3429
<u>Qualcomm Technologies, Inc MSM8929</u>	560	3428
<u>Intel Core2 Duo E4300 @ 1.80GHz</u>	558	3430
<u>Intel Atom Z3735E @ 1.33GHz</u>	557	3431
<u>MediaTek MT6762V/CN</u>	556	3432
<u>AMD Sempron Dual Core 2300</u>	555	3433



CPU Name	CPU Mark (higher is better)	Rank (lower is better)
<u>AMD TurionX2 Dual Core Mobile RM-70</u>	536	3453
<u>AMD Athlon 64 X2 Dual-Core TK-53</u>	535	3454
<u>AMD Sempron Dual Core 2100</u>	533	3455
<u>Intel Pentium D 830 @ 3.00GHz</u>	532	3456
<u>AMD Athlon 64 X2 Dual Core 3400+</u>	531	3458
<u>AMD Opteron 165</u>	531	3459
<u>Intel Core2 Duo T5470 @ 1.60GHz</u>	531	3457
<u>AMD E1-6010 APU</u>	530	3460
<u>Intel Pentium T2330 @ 1.60GHz</u>	530	3461
<u>AMD Athlon Neo X2 Dual Core L335</u>	529	3462
<u>AMD Athlon II Neo K345 Dual-Core</u>	527	3463
<u>MT8735A</u>	527	3464
<u>Intel Atom C2350 @ 1.74GHz</u>	526	3465
<u>Intel Pentium T2310 @ 1.46GHz</u>	526	3466
<u>MT6592</u>	521	3467
<u>Intel Celeron T1600 @ 1.66GHz</u>	519	3468
<u>AMD Athlon 64 X2 Dual-Core TK-55</u>	518	3469

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Core Duo T2700 @ 2.33GHz</u>	498	3488
<u>Intel Pentium D 940 @ 3.20GHz</u>	498	3489
<u>Qualcomm Technologies, Inc MSM8917</u>	498	3491
<u>AMD Turion X2 Dual Core Mobile RM-70</u>	497	3493
<u>MediaTek MT6735</u>	497	3492
<u>MT8735</u>	495	3494
<u>Intel Celeron N2808 @ 1.58GHz</u>	491	3495
<u>Intel Celeron G460 @ 1.80GHz</u>	489	3496
<u>Intel Atom Z3770D @ 1.49GHz</u>	488	3497
<u>Intel Celeron N2806 @ 1.60GHz</u>	487	3498
<u>AMD E-350D APU</u>	486	3499
<u>AMD Athlon 64 3100+</u>	484	3500
<u>Intel Core i3-330UM @ 1.20GHz</u>	484	3501
<u>AMD G-T56N</u>	483	3502
<u>ARM Cortex-A53 4 Core 1800 MHz</u>	481	3503
<u>Intel Celeron N2820 @ 2.13GHz</u>	480	3504
<u>Intel Pentium SU4100 @ 1.30GHz</u>	479	3505

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Qualcomm Technologies, Inc QM215</u>	466	3524
<u>AMD Athlon 64 FX-59</u>	465	3526
<u>ARM Cortex-A53 4 Core 1512 MHz</u>	464	3527
<u>Intel Atom D2700 @ 2.13GHz</u>	461	3528
<u>Intel Atom E3827 @ 1.74GHz</u>	460	3529
<u>AMD Opteron 154</u>	457	3530
<u>AMD Athlon Neo X2 Dual Core 6850e</u>	456	3531
<u>QCT APQ8064 DEB</u>	453	3532
<u>AMD Opteron 254</u>	451	3534
<u>AMD Turion 64 X2 Mobile TL-56</u>	451	3533
<u>Intel Core Duo T2600 @ 2.16GHz</u>	450	3535
<u>QCT APQ8064 FLO</u>	449	3536
<u>MediaTek MT6737</u>	448	3537
<u>Intel Celeron SU2300 @ 1.20GHz</u>	445	3538
<u>AMD G-T56E</u>	442	3539
<u>AMD E2-1800 APU</u>	440	3540
<u>Intel Atom N2800 @ 1.86GHz</u>	438	3542

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD E-350</u>	417	3560
<u>AMD Athlon LE-1660</u>	416	3562
<u>AMD A4-1250 APU</u>	415	3565
<u>Intel Core2 Duo U9300 @ 1.20GHz</u>	415	3563
<u>Samsung Exynos 7570</u>	415	3564
<u>Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</u>	415	3566
<u>AMD Athlon 1640B</u>	412	3568
<u>AMD Athlon LE-1600</u>	412	3567
<u>MT8765WB</u>	410	3569
<u>Intel Core Duo T2500 @ 2.00GHz</u>	408	3570
<u>Intel Atom E3805 @ 1.33GHz</u>	407	3571
<u>Intel Core2 Duo U7500 @ 1.06GHz</u>	405	3572
<u>MT8735P</u>	405	3573
<u>AMD Athlon 64 FX-55</u>	404	3574
<u>Intel Core Duo L2500 @ 1.83GHz</u>	404	3576
<u>Intel Core Duo T2450 @ 2.00GHz</u>	404	3575
<u>MediaTek MT6739WW</u>	404	3577

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>VIA Nano X2 U4025 @ 1.2 GHz</u>	393	3594
<u>AMD E1-1500 APU</u>	392	3599
<u>AMD Opteron 148</u>	392	3598
<u>Intel Celeron 807 @ 1.50GHz</u>	392	3600
<u>Intel Atom D525 @ 1.80GHz</u>	390	3601
<u>Intel Core Duo L2300 @ 1.50GHz</u>	387	3602
<u>Rockchip rk3326 863 rkisp1 board</u>	386	3603
<u>Intel Pentium 4 3.73GHz</u>	385	3604
<u>AMD Turion 64 Mobile ML-44</u>	384	3606
<u>Intel Core Duo T2350 @ 1.86GHz</u>	384	3607
<u>Qualcomm Technologies, Inc QCM2150</u>	384	3605
<u>Qualcomm Technologies, Inc MSM8916</u>	383	3608
<u>Intel Pentium T2130 @ 1.86GHz</u>	382	3609
<u>QCT APQ8064 AWIFI</u>	382	3610
<u>AMD Athlon X2 Dual Core L310</u>	379	3612
<u>AMD V140</u>	379	3611
<u>Intel Atom E3825 @ 1.33GHz</u>	378	3613

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Qualcomm Technologies, Inc APQ8016</u>	358	3632
<u>AMD Athlon X2 Dual Core 3250e</u>	357	3634
<u>Manta</u>	356	3636
<u>Mobile AMD Athlon 64 3700+</u>	356	3635
<u>ARM Cortex-A53 4 Core 1500 MHz</u>	355	3637
<u>MediaTek MT6737M</u>	355	3638
<u>ARM Cortex-A7 4 Core 1368 MHz</u>	353	3639
<u>AMD V120</u>	352	3640
<u>AMD Sempron LE-1200</u>	349	3641
<u>Intel Core Duo L2400 @ 1.66GHz</u>	348	3643
<u>Intel Pentium T2080 @ 1.73GHz</u>	348	3642
<u>Intel Core Duo T2250 @ 1.73GHz</u>	347	3644
<u>AMD E-300 APU</u>	346	3645
<u>AMD Opteron 146</u>	346	3646
<u>Intel Core2 Duo U7700 @ 1.33GHz</u>	345	3647
<u>Intel Celeron 570 @ 2.26GHz</u>	344	3649
<u>Mobile Intel Pentium 4 3.33GHz</u>	344	3648

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Athlon 2850e</u>	333	3670
<u>Mobile AMD Athlon 64 3400+</u>	333	3669
<u>Qualcomm MSM8228</u>	332	3672
<u>Unisoc SC7731e</u>	332	3671
<u>Intel Pentium T2060 @ 1.60GHz</u>	330	3673
<u>ARM Cortex-A35 4 Core 1200 MHz</u>	329	3674
<u>Mobile AMD Athlon 64 3200+</u>	326	3675
<u>MT6735P</u>	326	3676
<u>Intel Atom N2600 @ 1.60GHz</u>	323	3677
<u>Intel Core Duo T2050 @ 1.60GHz</u>	320	3678
<u>Rockchip RK3328</u>	319	3679
<u>Intel Pentium 4 3.00GHz</u>	318	3680
<u>AMD Athlon 64 3400+</u>	317	3681
<u>Intel Pentium 4 3.80GHz</u>	317	3682
<u>AMD Opteron 144</u>	316	3683
<u>Intel Core2 Duo U7600 @ 1.20GHz</u>	316	3684
<u>AMD C-60 APU</u>	315	3690

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Sempron LE-1250</u>	301	3706
<u>Intel Celeron 550 @ 2.00GHz</u>	301	3705
<u>Qualcomm MSM8926</u>	300	3707
<u>AMD G-T40N</u>	299	3708
<u>AMD Athlon II Neo K145</u>	298	3711
<u>AMD Sempron 3100+</u>	298	3710
<u>Intel Atom Z2760 @ 1.80GHz</u>	298	3709
<u>UNIVERSAL3475</u>	297	3712
<u>Intel Pentium 4 3.40GHz</u>	296	3713
<u>AMD Athlon 64 2800+</u>	295	3715
<u>Intel Atom N550 @ 1.50GHz</u>	295	3716
<u>Intel Pentium 4 3.46GHz</u>	295	3714
<u>Mobile AMD Sempron 3300+</u>	294	3719
<u>Qualcomm MSM8626</u>	294	3718
<u>Spreadtrum SC7731e</u>	294	3717
<u>Intel Celeron 430 @ 1.80GHz</u>	293	3720
<u>AMD Athlon 64 3800+</u>	292	3721



<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Pentium M 1.80GHz</u>	280	3741
<u>AMD Turion 64 Mobile MT-34</u>	279	3743
<u>ARM Cortex-A72 4 Core 800 MHz</u>	279	3742
<u>VIA Nano L2100@1800MHz</u>	279	3744
<u>AMD Turion 64 Mobile ML-30</u>	277	3746
<u>AMD Turion 64 Mobile ML-34</u>	277	3747
<u>Mobile AMD Sempron 3100+</u>	277	3745
<u>AMD Athlon XP 2900+</u>	276	3748
<u>AMD Athlon 2650e</u>	274	3749
<u>Intel Pentium M 2.13GHz</u>	271	3750
<u>ARM Cortex-A7 4 Core 1200 MHz</u>	270	3751
<u>Intel Pentium M 2.00GHz</u>	270	3753
<u>VIA Nano U2250 (1.6GHz Capable)</u>	270	3752
<u>ARM Cortex-A7 4 Core 1008 MHz</u>	269	3755
<u>Mobile AMD Sempron 3000+</u>	269	3756
<u>Mobile AMD Sempron 3400+</u>	269	3754
<u>AMD Sempron 3000+</u>	268	3760

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>VIA Nano L2007@1600MHz</u>	254	3777
<u>AMD Sempron 2600+</u>	253	3779
<u>Intel Core Solo T1400 @ 1.83GHz</u>	253	3778
<u>Intel Celeron M 1.70GHz</u>	252	3780
<u>Intel Core2 Solo U3500 @ 1.40GHz</u>	252	3782
<u>msm8960dt</u>	252	3781
<u>AMD Sempron 3200+</u>	251	3785
<u>AMD Sempron LE-1150</u>	251	3783
<u>Intel Celeron D 356 @ 3.33GHz</u>	251	3784
<u>Intel Pentium 4 3.06GHz</u>	249	3786
<u>AMD GX-210JA SOC</u>	248	3787
<u>Intel Atom D2500 @ 1.86GHz</u>	248	3788
<u>AMD Sempron M120</u>	247	3790
<u>SAMSUNG SERRANO</u>	247	3789
<u>AMD Turion 64 Mobile MT-30</u>	246	3791
<u>Mobile AMD Sempron 3200+</u>	245	3792
<u>ARM Cortex-A7 4 Core 900 MHz</u>	244	3793

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Celeron 3.06GHz</u>	234	3814
<u>Rockchip RK3229</u>	234	3813
<u>Intel Core2 Solo U2100 @ 1.06GHz</u>	233	3815
<u>Mobile AMD Athlon 4 2400+</u>	233	3816
<u>AMD Sempron 3500+</u>	232	3819
<u>Intel Celeron D 347 @ 3.06GHz</u>	232	3817
<u>Mobile Intel Pentium 4 3.20GHz</u>	232	3818
<u>AMD Athlon XP 2500+</u>	231	3820
<u>Intel Celeron 2.93GHz</u>	230	3821
<u>Intel Celeron M 450 @ 2.00GHz</u>	230	3822
<u>Intel Pentium M 1.60GHz</u>	229	3823
<u>Intel Pentium M 2.26GHz</u>	227	3824
<u>Mobile AMD Athlon XP-M 2500+</u>	226	3825
<u>Intel Pentium M 1.40GHz</u>	225	3827
<u>Mobile AMD Athlon XP-M 2400+</u>	225	3826
<u>Intel Atom N470 @ 1.83GHz</u>	224	3828
<u>Intel Atom D425 @ 1.80GHz</u>	222	3830

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Pentium M 1.73GHz</u>	205	3849
<u>Mobile Intel Pentium 4 2.80GHz</u>	205	3848
<u>AMD Athlon XP 1900+</u>	203	3851
<u>ARM Cortex-A53 4 Core 1536 MHz</u>	202	3852
<u>Intel Atom N450 @ 1.66GHz</u>	201	3853
<u>ARM Cortex-A72 4 Core 1850 MHz</u>	199	3855
<u>Intel Pentium M 1.20GHz</u>	199	3854
<u>VIA Nano U2500@1200MHz</u>	199	3856
<u>RK30board</u>	198	3857
<u>AMD Athlon L110</u>	197	3860
<u>Intel Celeron M 1300MHz</u>	197	3859
<u>Intel Pentium M 1300MHz</u>	197	3858
<u>Intel Pentium M 1.30GHz</u>	196	3861
<u>Mobile AMD Athlon XP-M 2000+</u>	196	3862
<u>AMD Athlon XP 1800+</u>	195	3863
<u>AMD Athlon XP 2000+</u>	195	3864
<u>Intel Core Solo T1350 @ 1.86GHz</u>	194	3866

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Mobile Intel Pentium 4 2.66GHz</u>	182	3884
<u>Intel Xeon 2.40GHz</u>	180	3886
<u>Intel Atom N455 @ 1.66GHz</u>	179	3889
<u>Intel Atom N475 @ 1.83GHz</u>	179	3887
<u>VIA Nano U2250@1300+MHz</u>	179	3888
<u>AMD C-30</u>	178	3890
<u>AMD G-T52R</u>	177	3891
<u>Intel Atom D410 @ 1.66GHz</u>	177	3892
<u>AMD Athlon XP 1700+</u>	176	3893
<u>Intel Atom E3815 @ 1.46GHz</u>	175	3896
<u>Intel Atom N270 @ 1.60GHz</u>	175	3894
<u>Intel Atom N280 @ 1.66GHz</u>	175	3895
<u>AMD Athlon XP 1600+</u>	174	3897
<u>ARM Cortex-A72 4 Core 1200 MHz</u>	174	3898
<u>Intel Celeron 215 @ 1.33GHz</u>	174	3899
<u>Mobile AMD Athlon MP-M 1800+</u>	173	3900
<u>Intel Celeron M 430 @ 1.73GHz</u>	169	3902

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>Intel Pentium M 1000MHz</u>	156	3921
<u>Intel Pentium M 1200MHz</u>	155	3922
<u>AMD Athlon 64 2000+</u>	154	3924
<u>Intel Celeron 2.66GHz</u>	154	3925
<u>Intel Pentium 4 3.83GHz</u>	154	3923
<u>Mobile Intel Celeron 2.40GHz</u>	154	3926
<u>Intel Atom N435 @ 1.33GHz</u>	153	3927
<u>Intel Xeon 2.00GHz</u>	152	3928
<u>Intel Pentium 4 2.26GHz</u>	151	3929
<u>Intel Pentium 4 2.93GHz</u>	150	3930
<u>VIA C7-D 1800MHz</u>	150	3931
<u>Intel Celeron M 1.00GHz</u>	149	3932
<u>Intel Celeron 2.30GHz</u>	148	3933
<u>Mobile Intel Celeron 2.20GHz</u>	147	3934
<u>Mobile Intel Pentium III - M 1200MHz</u>	146	3935
<u>VIA C7-M 6300MHz</u>	145	3936
<u>Intel Celeron 2.40GHz</u>	143	3939

<b>CPU Name</b>	<b>CPU Mark (higher is better)</b>	<b>Rank (lower is better)</b>
<u>AMD Sempron 200U</u>	125	3959
<u>Intel Celeron 2.00GHz</u>	125	3958
<u>Intel Celeron M 443 @ 1.20GHz</u>	125	3957
<u>Intel Celeron M 410 @ 1.46GHz</u>	123	3960
<u>Intel Celeron M 900MHz</u>	123	3961
<u>Intel Atom Z520 @ 1.33GHz</u>	122	3962
<u>Mobile Intel Celeron 1.80GHz</u>	121	3964
<u>Mobile Intel Pentium 4 - M 1.70GHz</u>	121	3963
<u>AMD G-T40R</u>	120	3965
<u>Intel Pentium III Mobile 800MHz</u>	119	3967
<u>Mobile Intel Pentium 4 - M 1.80GHz</u>	119	3966
<u>Mobile Intel Celeron 1.70GHz</u>	118	3968
<u>Intel Pentium 4 Mobile 1.60GHz</u>	116	3969
<u>VIA C7-M 1600MHz</u>	116	3970
<u>Intel Pentium 4 1.80GHz</u>	115	3971
<u>Intel Pentium 4 1800MHz</u>	114	3973
<u>Intel Pentium 4 Mobile 1.80GHz</u>	114	3972

